XDimplex®

Experience Better Living



The Dimplex **Electric Fires** Collection





Why Dimplex?

Millions of people around the world enjoy the comfort we bring every day with our Decorative Electric Fireplaces. For over 50 years our customers and partners have relied on our people, products, and brand, to deliver atmosphere in a safe and sustainable way, with no compromise.

Our track record of bringing innovation, being first in market and opening new categories is driven by our desire to challenge the status quo and find better solutions to provide the comfort and ambience to enhance millions of lives, working closely and openly with our trade partners and customers.

Dimplex, Experience Better Living

Why Dimplex in short

- 50 years of experience in Electric Fireplaces: this is our focal point, no distraction and complete commitment to deliver the ideal solution for each customer.
- Patented technologies: all our flame technologies are patented and are the result of continuous investments and determination to bring the perfect atmosphere to your home.
- Complete product offer: we have the widest offer in the market to satisfy all needs, from plug & play to integrated solutions.
- Trusted service: our network is specialized in Electric Fireplaces and provides an efficient and collaborative support.
- Comfort and sustainability, with no compromise: we are devoted to bring the most sustainable fireplace experience to all homes, with 100% safety and zero impact on the environment.

www.dimplexfires.com





Why choose an electric fireplace?

A decorative electric fireplace is the perfect solution when seeking an instant enhancement in any environment, whether it be in a home or a public space.

Ease of use: Enjoy your fireplace whenever you wish, simply by pressing the remotecontrol button.

Can be installed anywhere: You have no constraints of smoke evacuation or thermal requirements; you can install your fireplace in any room, within a partition, inside a piece of furniture, or just by placing it.

No maintenance: No ashes to dispose of no insert glass to clean, and of course, no cleaning; you only need to relish the warm ambiance of your fireplace.

Safety: No emission of toxic gases, nor risk of fire.

Year-round usability: The heating function is independent of the flame effect. Therefore, you can enjoy the cozy atmosphere of your fireplace without heating when you don't need it.

Environmentally friendly: No use of fossil fuels.

No chimney flues needed: Consequently, you can install your fireplace at a lower cost and without location constraints.

www.dimplexfires.com





Flame technologies

The warm, flickering glow of a fireplace creates a cozy and inviting atmosphere in any home. Dimplex, a pioneering brand in the electric fireplace industry, offers a diverse range of cutting-edge flame effect technologies to suit every preference and home décor. The Dimplex flame effect technologies are: Optiflame®, Optimyst®, and Opti-V®.

Optiflame

Optiflame® is the original Dimplex electric flame effect, and revolutionised the electric fire market when first launched in 1988. It creates a mesmerising and lifelike flame that provides warmth and ambiance in any room, with complete safety and the peace of mind of a maintenance free, electric solution. Endlessly refined and continually evolving, Optiflame® remains the world's most popular electric flame technology.



Öptimyst

Optimyst® is the world's most realistic 3D electric flame effect for those looking for a truly authentic experience, combined with the safety and low maintenance of an electric solution. Patented by Dimplex, it offers a flame experience that can be enjoyed from all angles, making it perfect for stunning room dividers and see-through fireplaces. This unique flame effect is generated by an innovative combination of cold water vapour and light.

Opti-V

Opti-V® is the first and original virtual flame technology, patented by Dimplex. This stunningly authentic fire experience requires no maintenance and delivers a flame image equal to that of a traditional fire, with no emissions and in total safety. It delivers a virtually perfect flame effect through a magic combination of High Definition video and LEDs.





Optimyst

Cassette 400/600 LED

230V/50Hz | 125 Watt







The Cassette 400/600 LED inset fire unit not only surprises with its free floating flame and smoke effect, its modest size and variable flame intensity make it highly suitable for 'endlessly' creative interior solutions: placed as a single unit in a table or inside a gas or wood fireplace, or as a line of fire by simply putting several units alongside each other. The only connection you need is 230V. Just fill the reservoir with fresh water and click on the remote for hours of cosy ambiance, over and over again.

- Ideal for creative projects, to be installed in furniture or used for other decorative purposes
- Easy-fill water tank, offers around 8-10 hours of continuous operation before refilling is required
- View of the fire from 4 sides
- Newly developed with LED lights for lower power consumption with a longer service life
- Crackling logs sound effects with adjustable volume
- Logset available as an accessory

Experience Better Living





All-round view



Surprising by the floating flame and smoke effect and variable flame intensity



Optimyst flame technology, flame patterns by cold water vapour



Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately



Product is delivered without decoration, but can be decorated with a wood set (optional to be ordered)



Control all functions of the fireplace from the comfort of your chair



Sound effect of crackling wood fire



Very suitable for installation







Cassette 400/600 LED


230V/50Hz | 125 Watt

Experience Better Living

Unit Dimensions







Specifications

| Flame Effect system | Optimyst® |
|--|---------------|
| Model number | 210791 |
| GTIN/UPC | 5011139210791 |
| Model | Cassette |
| View Type | Four-sided |
| Colour - Furniture | Black |
| Media Bed | Metal Plate |
| Viewing window WxH (cm) | 38x20 |
| Build in dim (WxHxD) (cm) | 40,7x17,6x22 |
| Heating function | No |
| Heating Element | No |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | LED |
| Sound | Yes |
| Media Bed Flame Colours | No |
| Heat Setting 1 in Watts | - |
| Heat Setting 2 in Watts | - |
| Power consumption (flame effect) (Watt) | 125 |
| Wattage | 125 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 4,5 |
| Plug Length | 1,5 m |
| Warranty | 2 years |







Disclaimer We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.

Cassette 500 (retail)

230V/50Hz | 220 Watt







Picture the perfect fireplace. But forget about venting and heat, because flames are made of pure water vapour and LED light. Flames you can reach out and touch. The revolutionary Optimyst® Cassette models redefine the electric fireplace and enable you to add a dramatic fire feature to any space, with stunning realism. Ready to be combined and linked with a Cassette 1000. For that see-through, three-sided, or fully open concept you envisage - in any length, for any location. Possibilities are simply endless.

- Suitable for installation projects and designed to fit into a custommade frame or fireplace
- Easy-fill water tank, offers around 8-10 hours of continuous operation before refilling is required
- Crackling logs sound effects with adjustable volume
- Logset available as an accessory

Experience Better Living





All-round view



Surprising by the floating flame and smoke effect and variable flame intensity



Optimyst flame technology, flame patterns by cold water vapour



Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately



Product is delivered without decoration, but can be decorated with a wood set (optional to be ordered)



Very suitable for installation






Cassette 500 (retail)


230V/50Hz | 220 Watt

Experience Better Living

Unit Dimensions







| DIMENSIONS | | | |
|------------------------|------------|-------------|------------|
| | Width (cm) | Height (cm) | Depth (cm) |
| Cassette 500 (retail) | 51 | 23 | 30 |
| Cassette 1000 (retail) | 101 | 23 | 30 |

Specifications

| Flame Effect system | Optimyst® |
|--|---------------|
| Model number | 210654 |
| GTIN/UPC | 5011139210654 |
| Model | Cassette |
| View Type | Four-sided |
| Colour - Furniture | Black |
| Media Bed | Metal Plate |
| Viewing window WxH (cm) | 49x20 |
| Build in dim (WxHxD) (cm) | 50,8x23x30,5 |
| Heating function | No |
| Heating Element | No |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | LED |
| Sound | Yes |
| Media Bed Flame Colours | No |
| Heat Setting 1 in Watts | - |
| Heat Setting 2 in Watts | - |
| Power consumption (flame effect) (Watt) | 220 |
| Wattage | 220 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 9 |
| Plug Length | 1,5 m |
| Warranty | 2 years |









Disclaimer We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.

Cassette 1000 (retail)

230V/50Hz | 450 Watt





Picture the perfect fireplace. But forget about venting and heat, because flames are made of pure water vapour and LED light. Flames you can reach out and touch. The revolutionary Optimyst® Cassette models redefine the electric fireplace and enable you to add a dramatic fire feature to any space, with stunning realism. Ready to be combined and linked with a Cassette 500. For that see-through, three-sided, or fully open concept you envisage - in any length, for any location. Possibilities are simply endless. The perfect opportunity to play with fire!

- Suitable for installation projects and designed to fit into a custommade frame or fireplace
- Easy-fill water tank, offers around 8-10 hours of continuous operation before refilling is required
- Crackling logs sound effects with adjustable volume
- Logset available as an accessory







All-round view



Surprising by the floating flame and smoke effect and variable flame intensity



Optimyst flame technology, flame patterns by cold water vapour



Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately



Product is delivered without decoration, but can be decorated with a wood set (optional to be ordered)



Very suitable for installation







Cassette 1000 (retail) **Experience Better Living**

Unit Dimensions







| DIMENSIONS | | | |
|------------------------|------------|-------------|------------|
| | Width (cm) | Height (cm) | Depth (cm) |
| Cassette 500 (retail) | 51 | 23 | 30 |
| Cassette 1000 (retail) | 101 | 23 | 30 |

Specifications

| Flame Effect system | Optimyst® |
|--|---------------|
| Model number | 210661 |
| GTIN/UPC | 5011139210661 |
| Model | Cassette |
| View Type | Four-sided |
| Colour - Furniture | Black |
| Media Bed | Metal Plate |
| Viewing window WxH (cm) | 99x20 |
| Build in dim (WxHxD) (cm) | 101,7x23x30,5 |
| Heating function | No |
| Heating Element | No |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | LED |
| Sound | Yes |
| Media Bed Flame Colours | No |
| Heat Setting 1 in Watts | - |
| Heat Setting 2 in Watts | - |
| Power consumption (flame effect) (Watt) | 450 |
| Wattage | 450 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 16 |
| Plug Length | 1,5 m |
| Warranty | 2 years |









All cassettes must have adequate

ventilation for an optimal fire experience. For advice, read the manuals or visit the website www.dimplexfires.com

Disclaimer We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



▼Dimplex®

Experience Better Living

Cassette 500 (projects)

230V/50Hz | 220 Watt









Picture the perfect fireplace. But forget about venting and heat, because flames are made of pure water vapour and LED light. Flames you can reach out and touch. The revolutionary Optimyst® Cassette models redefine the electric fireplace and enable you to add a dramatic fire feature to any space, with stunning realism. This Projects version even lacks the need of a periodic water refill, thanks to its permanent water connection. Ready to be combined and linked with a Cassette 1000 Projects.


- Suitable for installation projects and designed to fit into a custommade frame or fireplace
- Connects to a main water supply, no manual refill needed
- Quick-fit IEC (kettle) connection for an individual fireplace of any length
- · Crackling logs sound effects with adjustable volume
- Logset available as an accessory












Product is delivered without decoration, but can be decorated with a wood set (optional to be ordered)








Cassette 500 (projects)

230V/50Hz | 220 Watt

Experience Better Living

Unit Dimensions





| - | | |
|----------|-------------|------------|
| စုဖစ | ଡ'ଡା | |
| | | Min: 180mm |
| | | Max: 210mm |
| <u> </u> | - | |
| F | 4 | |
| | | |
| 300r | nm | |
| Din | 1 | |

| DIMENSIONS | | | |
|--------------------------|------------|-------------|------------|
| | Width (cm) | Height (cm) | Depth (cm) |
| Cassette 500 (projects) | 51 | 23 | 30 |
| Cassette 1000 (projects) | 101 | 23 | 30 |

Specifications

| Flame Effect system | Optimyst® |
|--|---------------|
| Model number | 211439 |
| GTIN/UPC | 5011139211439 |
| Model | Cassette |
| View Type | Four-sided |
| Colour - Furniture | Black |
| Media Bed | Metal Plate |
| Viewing window WxH (cm) | 49x20 |
| Build in dim (WxHxD) (cm) | 51x22,5x30,4 |
| Heating function | No |
| Heating Element | No |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | LED |
| Sound | Yes |
| Media Bed Flame Colours | No |
| Heat Setting 1 in Watts | - |
| Heat Setting 2 in Watts | - |
| Power consumption (flame effect) (Watt) | 220 |
| Wattage | 220 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 11 |
| Plug Length | 1,5 m |
| Warranty | 2 years |









Disclaimer We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.

WW



XDimplex

Experience Better Living

Cassette 1000 (projects)

230V/50Hz | 450 Watt







Picture the perfect fireplace. But forget about venting and heat, because flames are made of pure water vapour and LED light. Flames you can reach out and touch. The revolutionary Optimyst® Cassette models redefine the electric fireplace and enable you to add a dramatic fire feature to any space, with stunning realism. This Projects version even lacks the need of a periodic water refill, thanks to its permanent water connection. Ready to be combined and linked with a Cassette 500 Projects.

- Suitable for installation projects and designed to fit into a custommade frame or fireplace
- Connects to a main water supply, no manual refill needed
- Quick-fit IEC (kettle) connection for an individual fireplace of any length
- · Crackling logs sound effects with adjustable volume
- Logset available as an accessory





All-round view



Surprising by the floating flame and smoke effect and variable flame intensity



Optimyst flame technology, flame patterns by cold water vapour



Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately



Product is delivered without decoration, but can be decorated with a wood set (optional to be ordered)



Very suitable for installation






Cassette 1000 (projects) 230V/50Hz | 450 Watt

Experience Better Living

Unit Dimensions





| তিত | ୍ ତ'ତ | |
|----------|-------|------------|
| | | Min: 180mm |
| | | Max: 210mm |
| <u> </u> | I | |
| Γ | | |
| | mm | |
| | m B | |

| DIMENSIONS | | | |
|--------------------------|------------|-------------|------------|
| | Width (cm) | Height (cm) | Depth (cm) |
| Cassette 500 (projects) | 51 | 23 | 30 |
| Cassette 1000 (projects) | 101 | 23 | 30 |

Specifications

| Flame Effect system | Optimyst® |
|--|-----------------|
| Model number | 211446 |
| GTIN/UPC | 5011139211446 |
| Model | Cassette |
| View Type | Four-sided |
| Colour - Furniture | Black |
| Media Bed | Metal Plate |
| Viewing window WxH (cm) | 99x20 |
| Build in dim (WxHxD) (cm) | 101,9x22,3x30,5 |
| Heating function | No |
| Heating Element | No |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | LED |
| Sound | Yes |
| Media Bed Flame Colours | No |
| Heat Setting 1 in Watts | - |
| Heat Setting 2 in Watts | - |
| Power consumption (flame effect) (Watt) | 450 |
| Wattage | 450 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 18,5 |
| Plug Length | 1,5 m |
| Warranty | 2 years |



Disclaimer We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.

Dimplex

Cassette 500 retail Multi Optimyst

230V/50Hz | 260 Watt







Imagine having three-dimensional flames dancing in any room of your choice. With its unique combination of our patented cold water vapor and multicolor LED lights, you can enjoy a realistic and safe fire experience. With our Cassette Retail models, you can easily add an impressive fire display to any room. Moreover, you can effortlessly pair and combine them with all our other Retail Cassettes. This allows you to create the perfect see-through fireplace, cinewall or any other fireplace project of your dreams. The possibilities are simply endless.

- Perfect for installation projects, designed to fit custom-made frames or fireplaces.
- Easy-to-fill water tank provides 8-10 hours of continuous operation before needing a refill.
- Can be easily connected and combined with other Retail Cassettes.
- · Crackling logs sound effects with adjustable volume.
- Optional logset accessory available.
- With Flame connect APP

Experience Better Living





All-round view



Surprising by the floating flame and smoke effect and variable flame intensity



Optimyst flame technology, flame patterns by cold water vapour



Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately



Product is delivered without decoration, but can be decorated with a wood set (optional to be ordered)



The colours of the flame can be adjusted to the colours blue, violet, red, aquamarine or change the colours to a mix by using the Flame Connect app



Flame Connect app available for smartphone



Very suitable for installation






Cassette 500 retail Multi Optimyst

230V/50Hz | 260 Watt

Experience Better Living

Unit Dimensions





| <u> </u> | |
|---|------------|
| | Min: 180mm |
| | Max: 210mm |
| <u> </u> | |
| | |
| 300mm ———Dim B | |

| DIMENSIONS | | | |
|------------------------|------------|-------------|------------|
| | Width (cm) | Height (cm) | Depth (cm) |
| Cassette 500 (retail) | 51 | 23 | 30 |
| Cassette 1000 (retail) | 101 | 23 | 30 |

Specifications

| Flame Effect system | Optimyst® |
|--|---------------|
| Model number | 400001276 |
| GTIN/UPC | 5011139084996 |
| Model | Cassette |
| View Type | Four-sided |
| Colour - Furniture | Black |
| Media Bed | Metal Plate |
| Viewing window WxH (cm) | 49x20 |
| Build in dim (WxHxD) (cm) | 51x23x30 |
| Heating function | No |
| Heating Element | No |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | LED |
| Sound | Yes |
| Media Bed Flame Colours | No |
| Heat Setting 1 in Watts | - |
| Heat Setting 2 in Watts | - |
| Power consumption (flame effect) (Watt) | 260 |
| Wattage | 260 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 8 |
| Plug Length | 1,5 m |
| Warranty | 2 years |









Disclaimer We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.

Cassette 1000 retail Multi Optimyst

230V/50Hz | 470 Watt







Imagine having three-dimensional flames dancing in any room of your choice. With its unique combination of our patented cold water vapor and multicolor LED lights, you can enjoy a realistic and safe fire experience. With our Cassette Retail models, you can easily add an impressive fire display to any room. Moreover, you can effortlessly pair and combine them with all our other Retail Cassettes. This allows you to create the perfect see-through fireplace, cinewall or any other fireplace project of your dreams. The possibilities are simply endless.

- Perfect for installation projects, designed to fit custom-made frames
- Easy-to-fill water tank provides 8-10 hours of continuous operation before needing a refill.
- Can be easily connected and combined with other Retail Cassettes.
- Crackling logs sound effects with adjustable volume.
- Optional logset accessory available.
- With Flame connect APP

Experience Better Living





All-round view



Surprising by the floating flame and smoke effect and variable flame intensity



Optimyst flame technology, flame patterns by cold water vapour



Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately



Product is delivered without decoration, but can be decorated with a wood set (optional to be ordered)



The colours of the flame can be adjusted to the colours blue, violet, red, aquamarine or change the colours to a mix by using the Flame Connect app



Flame Connect app available for smartphone



Very suitable for installation






Cassette 1000 retail Multi Optimyst


230V/50Hz | 470 Watt

Experience Better Living

Unit Dimensions








| DIMENSIONS | | | |
|------------------------|------------|-------------|------------|
| | Width (cm) | Height (cm) | Depth (cm) |
| Cassette 500 (retail) | 51 | 23 | 30 |
| Cassette 1000 (retail) | 101 | 23 | 30 |

Specifications

| Flame Effect system | Optimyst® |
|--|---------------|
| Model number | 400001277 |
| GTIN/UPC | 5011139085009 |
| Model | Cassette |
| View Type | Four-sided |
| Colour - Furniture | Black |
| Media Bed | Metal Plate |
| Viewing window WxH (cm) | 99x20 |
| Build in dim (WxHxD) (cm) | 101x23x30 |
| Heating function | No |
| Heating Element | No |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | LED |
| Sound | Yes |
| Media Bed Flame Colours | No |
| Heat Setting 1 in Watts | - |
| Heat Setting 2 in Watts | - |
| Power consumption (flame effect) (Watt) | 470 |
| Wattage | 470 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 14,5 |
| Plug Length | 1,5 m |
| Warranty | 2 years |







Disclaimer We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.

▼Dimplex®

Cassette 500 projects Multi Optimyst

230V/50Hz | 260 Watt







Imagine the perfect fireplace with no flue or fire hazard. Our patented Optimyst® technology creates flames using cold water vapour and multicolour LED lights to create realistic and safe flames. With the Cassette Projects models, you can effortlessly create a stunning fire display in any room, without the need for regular water refills thanks to the permanent water connection. It's the hassle-free way to enjoy a beautiful fire. You can also easily pair and combine them with our other Projects Cassettes to create your dream fireplace in any setting.

- Perfect for installation projects, designed to fit custom-made frames or fireplaces.
- Connects to a main water supply, no manual refill needed.
- Can be easily connected and combined with other Projects Cassettes.
- · Crackling logs sound effects with adjustable volume.
- Optional logset accessory available.
- With Flame connect APP

Experience Better Living





All-round view



Surprising by the floating flame and smoke effect and variable flame intensity



Optimyst flame technology, flame patterns by cold water vapour



Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately



Product is delivered without decoration, but can be decorated with a wood set (optional to be ordered)



The colours of the flame can be adjusted to the colours blue, violet, red, aquamarine or change the colours to a mix by using the Flame Connect app



Flame Connect app available for smartphone



Very suitable for installation






Cassette 500 projects Multi Optimyst


230V/50Hz | 260 Watt

Experience Better Living

Unit Dimensions







| DIMENSIONS | | | |
|--------------------------|------------|-------------|------------|
| | Width (cm) | Height (cm) | Depth (cm) |
| Cassette 500 (projects) | 51 | 23 | 30 |
| Cassette 1000 (projects) | 101 | 23 | 30 |

Specifications

| Flame Effect system | Optimyst® |
|--|---------------|
| Model number | 400001274 |
| GTIN/UPC | 5011139084972 |
| Model | Cassette |
| View Type | Four-sided |
| Colour - Furniture | Black |
| Media Bed | Metal Plate |
| Viewing window WxH (cm) | 49x20 |
| Build in dim (WxHxD) (cm) | 51x23x30 |
| Heating function | No |
| Heating Element | No |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | LED |
| Sound | Yes |
| Media Bed Flame Colours | No |
| Heat Setting 1 in Watts | - |
| Heat Setting 2 in Watts | - |
| Power consumption (flame effect) (Watt) | 260 |
| Wattage | 260 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 8 |
| Plug Length | 1,5 m |
| Warranty | 2 years |










Disclaimer We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.

XDimplex

Cassette 1000 projects Multi Optimyst

230V/50Hz | 470 Watt







Imagine the perfect fireplace with no flue or fire hazard. Our patented Optimyst® technology creates flames using cold water vapour and multicolour LED lights to create realistic and safe flames. With the Cassette Projects models, you can effortlessly create a stunning fire display in any room, without the need for regular water refills thanks to the permanent water connection. It's the hassle-free way to enjoy a beautiful fire. You can also easily pair and combine them with our other Projects Cassettes to create your dream fireplace in any setting.

- Perfect for installation projects, designed to fit custom-made frames or fireplaces.
- Connects to a main water supply, no manual refill needed.
- Can be easily connected and combined with other Projects Cassettes.
- · Crackling logs sound effects with adjustable volume.
- Optional logset accessory available.
- With Flame connect APP

Experience Better Living





All-round view



Surprising by the floating flame and smoke effect and variable flame intensity



Optimyst flame technology, flame patterns by cold water vapour



Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately



Product is delivered without decoration, but can be decorated with a wood set (optional to be ordered)



The colours of the flame can be adjusted to the colours blue, violet, red, aquamarine or change the colours to a mix by using the Flame Connect app



Flame Connect app available for smartphone



Very suitable for installation






Cassette 1000 projects Multi Optimyst

230V/50Hz | 470 Watt

Experience Better Living

Unit Dimensions





| 0mm |
|-----|
| 0mm |
| |
| |
| |
| |
| |

| DIMENSIONS | | | |
|--------------------------|------------|-------------|------------|
| | Width (cm) | Height (cm) | Depth (cm) |
| Cassette 500 (projects) | 51 | 23 | 30 |
| Cassette 1000 (projects) | 101 | 23 | 30 |

Specifications

| Flame Effect system | Optimyst® |
|--|---------------|
| Model number | 400001275 |
| GTIN/UPC | 5011139084989 |
| Model | Cassette |
| View Type | Four-sided |
| Colour - Furniture | Black |
| Media Bed | Metal Plate |
| Viewing window WxH (cm) | 99x20 |
| Build in dim (WxHxD) (cm) | 101x23x30 |
| Heating function | No |
| Heating Element | No |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | LED |
| Sound | Yes |
| Media Bed Flame Colours | No |
| Heat Setting 1 in Watts | - |
| Heat Setting 2 in Watts | - |
| Power consumption (flame effect) (Watt) | 470 |
| Wattage | 470 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 14,5 |
| Plug Length | 1,5 m |
| Warranty | 2 years |



Disclaimer We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.

Öptimyst

Cassette L Pebbles

230V/50Hz | 400 Watt



The Cassette L Pebbles is part of the Dimplex Cassette range, known for its unique, free floating flame and smoke effect, but now supplied with a decoration of white pebble stones. Easy to install in bespoke interior projects, only a normal electric socket is required. The flames are made of cold water vapour and light, which is safe, fume free and has a hugely decorative effect over the stones. Its water reservoir can be refilled from the front, which is very practical for frequent use.

- Suitable for installation projects and designed to fit into a custommade frame or fireplace
- Easy-fill water tank, offers around 8-10 hours of continuous operation before refilling is required
- The water tank is very easy accessible through a drawer in the
- View of the fire from 4 sides
- Decorated with white pebbles (included)





All-round view



Surprising by the floating flame and smoke effect and variable flame intensity



Optimyst flame technology, flame patterns by cold water vapour



Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately



Comes as standard with white pebbles



Very suitable for installation







Cassette L Pebbles


230V/50Hz | 400 Watt

Experience Better Living

Unit Dimensions







Specifications

| Flame Effect system | Optimyst® |
|--|-----------------------|
| Model number | 202789 |
| GTIN/UPC | 5011139202789 |
| Model | Cassette |
| View Type | Four-sided |
| Colour - Furniture | Black |
| Media Bed | White Carrara Pebbles |
| Viewing window WxH (cm) | 51x20 |
| Build in dim (WxHxD) (cm) | 72x20x35,6 |
| Heating function | No |
| Heating Element | No |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | Halogen |
| Sound | No |
| Media Bed Flame Colours | No |
| Heat Setting 1 in Watts | - |
| Heat Setting 2 in Watts | - |
| Power consumption (flame effect) (Watt) | 400 |
| Wattage | 400 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 27 |
| Plug Length | 1,5 m |
| Warranty | 2 years |



Disclaimer We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.

Öptimyst

▼Dimplex®

Juneau (XL)

230V/50Hz | 200 / 450 Watt







The Juneau is an electric inset fireplace unit, ready to be installed into nearly any interior space or indoor object, including inactive gas or wood fireplaces. The three dimensional Optimyst® fire image comes from cold water vapour and light, which is startlingly realistic, can be seen from all sides, and is safe to touch. A practical detail: the water reservoir can be refilled from the front, without removing its glowing logset. In a few words: the Juneau is a perfect basis for great fireplace projects.

- Suitable for installation projects and designed to fit into a custommade frame or fireplace
- Easy-fill water tank, offers around 8-10 hours of continuous operation before refilling is required
- The water tank is very easy accessible through a drawer in the front
- Logset included

Experience Better Living







All-round view



Surprising by the floating flame and smoke effect and variable flame intensity



Optimyst flame technology, flame patterns by cold water vapour



Control all functions of the fireplace from the comfort of your chair



Very suitable for installation







Experience Better Living


Juneau (XL)


230V/50Hz | 200 / 450 Watt

Unit Dimensions









Specifications

| | Juneau | Juneau XL |
|--|---------------|---------------|
| Flame Effect system | Optimyst® | Optimyst® |
| Model number | 202086 | 202666 |
| GTIN/UPC | 5011139202086 | 5011139202666 |
| Model | Cassette | Cassette |
| View Type | Four-sided | Four-sided |
| Colour - Furniture | Black | Black |
| Media Bed | Logset | Logset |
| Viewing window WxH (cm) | 32x20 | 51x20 |
| Build in dim (WxHxD) (cm) | 56,7x30x26 | 72x35x33 |
| Heating function | No | No |
| Heating Element | No | No |
| Remote Control | Yes | Yes |
| Manual Operation on the fireplace possible | Yes | Yes |
| Lighting Module | Halogen | Halogen |
| Sound | No | No |
| Media Bed Flame Colours | No | No |
| Heat Setting 1 in Watts | - | - |
| Heat Setting 2 in Watts | - | - |
| Power consumption (flame effect) (Watt) | 250 | 400 |
| Wattage | 450 | 450 |
| Voltage | 230V/50Hz | 230V/50Hz |
| Unpacked Weight (kg) | 15,5 | 20,5 |
| Plug Length | 1,5 m | 1,5 m |
| Warranty | 2 years | 2 years |









All cassettes must have adequate ventilation for an optimal fire experience. For advice, read the manuals or visit the website www.dimplexfires.com

Disclaimer We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



Vivente Plus 75 | 100 | 150

230V/50Hz | 20 / 28 / 40 Watt










Vivente Plus brings you the most advanced combination of comfort and energy efficiency. With our innovative Optiflame technology, combined with a unique crackling sound and the option of an authentic set of real or ceramic logs, it creates an unrivalled, lifelike fire experience. Featuring energy-saving technologies such as ComfortSaver, offering savings of up to 11%. Meanwhile, Smart Sense technology detects movement in the room and automatically switches the fire off when you're not there. With three sizes and layout options, finding the perfect fire for your home or venue is a breeze and with full control of your fire via smartphone, you can create the perfect atmosphere anytime.


- With three size and layout options
- SmartSense: auto-off feature saves energy by detecting room activity
- Comfort\$aver: Maintains room temperature and saves up to 11% energy
- Optional: Black glass back panel for even more intense flames
- With Flame connect APP


Experience Better Living




















Flame Connect app available for smartphone

Thanks to the reflective back panel, the flames will be even more intensely

7 Day Programmable Timer






Vivente Plus 75 | 100 | 150 230V/50Hz | 20 / 28 / 40 Watt

Experience Better Living

Unit Dimensions

| DIMENSIONS | | | | |
|---------------------|------------|-------------|------------|--|
| | Width (cm) | Height (cm) | Depth (cm) | |
| Vivente Plus 75 | 79,3 | 66,6 | 30,7 | |
| Vivente Plus 100 | 104,3 | 66,6 | 30,7 | |
| Vivente Plus 150 | 154,3 | 66,6 | 30,7 | |



Specifications

| TECHNICAL DETAILS | Vivente Plus 75 | Vivente Plus 100 | Vivente Plus 150 |
|--|--------------------|--------------------|--------------------|
| Flame Effect system | Optiflame® | Optiflame® | Optiflame® |
| Model number | 211682 | 211712 | 211743 |
| GTIN/UPC | 5011139211682 | 5011139211712 | 5011139211743 |
| Model | Built-in | Built-in | Built-in |
| View Type | 1-, 2-, or 3-sided | 1-, 2-, or 3-sided | 1-, 2-, or 3-sided |
| Colour - Furniture | Black | Black | Black |
| Media Bed | Authentic logset | Authentic logset | Authentic logset |
| Viewing window WxH (cm) | 75x34 | 100x34 | 150x34 |
| Build in dim (WxHxD) (cm) | 79,3x66,6x30,7 | 104,3x66,6x30,7 | 154,3x66,6x30,7 |
| Heating function | Yes | Yes | Yes |
| Heating Element | Yes | Yes | Yes |
| Remote Control | Yes | Yes | Yes |
| Manual Operation on the fireplace possible | Yes | Yes | Yes |
| Lighting Module | LED | LED | LED |
| Sound | Yes | Yes | Yes |
| Media Bed Flame Colours | Yes | Yes | Yes |
| Heat Setting 1 in Watts | 1500 | 1500 | 1500 |
| Heat Setting 2 in Watts | - | - | - |
| Power consumption (flame effect) (Watt) | 20 | 28 | 40 |
| Wattage | 1500 | 1500 | 1500 |
| Voltage | 230V/50Hz | 230V/50Hz | 230V/50Hz |
| Unpacked Weight (kg) | 38 | 50 | 70 |
| Plug Length | 1,5 m | 1,5 m | 1,5 m |
| Warranty | 2 years | 2 years | 2 years |

XDimplex

Vista 130 | |||

230V/50Hz | 70 Watt









The Vista is the perfect blend of rich flame experience and space-saving design. With sparks jumping off glowing logs and the crackling sound of a wood fire, the Vista gives you a lifelike flickering flame effect. Created with Opti-Virtual® technology, brought to you by the original inventors of the Virtual flame technology. Choose from a 3-sided or front-facing option, both with a stunning 40cm viewing window and limited installation depth. No compromises! Coziness meets functionality with the thermostatic heater, providing warmth and comfort at your fingertips. Even when the fire is off, the ceramic logs and decoration create a beautiful focal point.

- Opti-V® flame technology; the first realistic virtual flame technology on the market, patented by Dimplex.
- Realistic log set with glowing LED lights, stunning even when the fire is off
- Available in 1- and 3-sided option
- · Flame effect with heating function for year-round enjoyment


Experience Better Living














Powerful fan-assisted heating by safe element that provides additional heating on demand

Control all functions of the fireplace from the comfort of your chair

Standard slatted backpanel enhances realism and visual depth

Adjustable up to 8 hours








Vista 130 | | ||| 230V/50Hz | 70 Watt

Experience Better Living

Unit Dimensions







Specifications

| TECHNICAL DETAILS | Vista 130 I | Vista 130 III |
|--|---------------|---------------|
| Flame Effect system | Opti-V® | Opti-V® |
| Model number | 400001670 | 400001671 |
| GTIN/UPC | 5011139087812 | 5011139087829 |
| Model | Built-in | Built-in |
| View Type | Front | 3-sided |
| Colour - Furniture | Black | Black |
| Media Bed | Logset | Logset |
| Viewing window WxH (cm) | 130x40 | 130x40 |
| Build in dim (WxHxD) (cm) | 132,9x67x39,8 | 132,9x67x39,8 |
| Heating function | Yes | Yes |
| Heating Element | Yes | Yes |
| Remote Control | Yes | Yes |
| Manual Operation on the fireplace possible | No | No |
| Lighting Module | LED | LED |
| Sound | Yes | Yes |
| Media Bed Flame Colours | No | No |
| Heat Setting 1 in Watts | 1000 | 1000 |
| Heat Setting 2 in Watts | 2000 | 2000 |
| Power consumption (flame effect) (Watt) | 70 | 70 |
| Wattage | 2000 | 2000 |
| Voltage | 230V/50Hz | 230V/50Hz |
| Unpacked Weight (kg) | 81 | 81 |
| Plug Length | 1 m | 1 m |
| Warranty | 2+3 years | 2+3 years |









XDimplex

1yst Experience Better Living









The 3 Step Multi Optimyst frameless fireplace offers multiple installation options to perfectly match your interior design and layout. With three layout options and fire created by patented Optimyst cold water vapour and multicolour LED lighting, it can provide a stunning fire view from different angles. It's safe to use, emitting no gas or ashes, and easy to control and personalise using its remote or app. You can enjoy the flame effect all year round, with the option to activate the heating function and crackling fire sound for added cosiness. It comes equipped with a drawer to easily refill water, for a complete stress-free experience.

- · Frameless insert fireplace with three-sided fire view
- Can also be installed as one-sided or two-sided
- Flame effect with optional heating function for year-round enjoyment
- Realistic logset included
- With a drawer at the front, refilling the water reservoir is a simple task
- With Flame connect APP



- 3 installation options. Can be built in as a 1, 2 or 3-sided fireplace
- Surprising by the floating flame and smoke effect and variable flame intensity
- Optimyst flame technology, flame patterns by cold water vapour
- Flames and lamps
 use energy-efficient
 LEDs that require no
 maintenance and can
 burn separately
- Comes as standard with a logset.
- The colours of the flame can be adjusted to the colours blue, violet, red, aquamarine or change the colours to a mix by using the Flame Connect app
- Flame Connect app available for smartphone
- Sound effect of crackling wood fire
- 7 Day Programmable Timer
- Very suitable for installation




Experience Better Living

3 Step Multi Optimyst

230V/50Hz | 260 Watt

Unit Dimensions



Specifications

| Flame Effect system | Optimyst® |
|--|--------------------|
| Model number | 400001279 |
| GTIN/UPC | 5011139085023 |
| Model | Built-in |
| View Type | 1-, 2-, or 3-sided |
| Colour - Furniture | Black |
| Media Bed | Logset |
| Viewing window WxH (cm) | 71x39 |
| Build in dim (WxHxD) (cm) | 77x78x41 |
| Heating function | Yes |
| Heating Element | Yes |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | LED |
| Sound | Yes |
| Media Bed Flame Colours | No |
| Heat Setting 1 in Watts | 710 |
| Heat Setting 2 in Watts | 970 |
| Power consumption (flame effect) (Watt) | 260 |
| Wattage | 1160 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 48 |
| Plug Length | 1,5 m |
| Warranty | 2 years |













Disclaimer We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.

All cassettes must have adequate ventilation for an optimal fire experience. For advice, read the manuals or visit the website www.dimplexfires.com

XDimplex

Opti-V single | double

230V/50Hz | 35 / 70 Watt










A modern fireplace housing the uniquely complete and intense Opti-Virtual® fire experience, developed by Dimplex. With ultra-realistic flickering flame effect, sparks jumping from glowing logs and the crackle of a wood fire, yet electric and therefore completely safe and maintenance free, making it a great addition to both commercial and private environments. Available in two sizes.


- Blended 3D technology creates dazzling flames
- Ultra realistic logset with inner glowing LED lights
- · Sparking effect adds additional realism
- Built-in crackle sound for an authentic experience
- Heatless flame lets you enjoy fire ambiance all year round




















Opti-V single | double 230V/50Hz | 35 / 70 Watt

Experience Better Living





Specifications

| TECHNICAL DETAILS | Opti-V Single | Opti-V Double |
|--|---------------|---------------|
| Flame Effect system | Opti-V® | Opti-V® |
| Model number | 204912 | 204929 |
| GTIN/UPC | 5011139204912 | 5011139204929 |
| Model | Built-in | Built-in |
| View Type | Front | Front |
| Colour - Furniture | Black | Black |
| Media Bed | Logset | Logset |
| Viewing window WxH (cm) | 69x24 | 131x24 |
| Build in dim (WxHxD) (cm) | 73,6x45x34,5 | 135,6x45x34,5 |
| Heating function | No | No |
| Heating Element | No | No |
| Remote Control | Yes | Yes |
| Manual Operation on the fireplace possible | Yes | Yes |
| Lighting Module | LED | LED |
| Sound | Yes | Yes |
| Media Bed Flame Colours | No | No |
| Heat Setting 1 in Watts | - | - |
| Heat Setting 2 in Watts | - | - |
| Power consumption (flame effect) (Watt) | 35 | 70 |
| Wattage | 35 | 70 |
| Voltage | 230V/50Hz | 230V/50Hz |
| Unpacked Weight (kg) | 26 | 47 |
| Plug Length | 1,5 m | 1,5 m |
| Warranty | 2 years | 2 years |



Optimyst

Albany



The Dimplex Albany is a versatile inset fire which can be used either fully inset or in a surround, to complement a minimalist modern decor, or add a contemporary twist to a more traditional room. Silent in operation, the Optimyst® effect flame effect is fully variable to easily create different moods and can be used independently of the heating function, ideal to create a cosy feel without overheating.

- Modern inset fire designed to be installed into a bespoke fireplace
- Creates a realistic fire effect at the touch of a button
- LED logset is included
- The flame effect can also be used without the heat to enjoy the charm of the fireplace 365 days a year



One-sided decorative fireplace



Surprising by the floating flame and smoke effect and variable flame intensity



Optimyst flame technology, flame patterns by cold water vapour



Powerful fan-assisted heating by safe element that provides additional heating on demand



Control all functions of the fireplace from the comfort of your chair



7 Day Programmable Timer



Very suitable for installation




Experience Better Living

Albany

230V/50Hz | 240 Watt

Unit Dimensions



Specifications

| Flame Effect system | Optimyst® |
|--|---------------|
| Model number | 210173 |
| GTIN/UPC | 5011139210173 |
| Model | Built-in |
| View Type | Front |
| Colour - Furniture | Black |
| Media Bed | Logset |
| Viewing window WxH (cm) | 57x42 |
| Build in dim (WxHxD) (cm) | 64x70,3x30 |
| Heating function | Yes |
| Heating Element | Yes |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | Halogen |
| Sound | No |
| Media Bed Flame Colours | No |
| Heat Setting 1 in Watts | 750 |
| Heat Setting 2 in Watts | 1500 |
| Power consumption (flame effect) (Watt) | 240 |
| Wattage | 1500 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 25,5 |
| Plug Length | 1,5 m |
| Warranty | 2 years |



Disclaimer We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.

All cassettes must have adequate ventilation for an optimal fire experience. For advice, read the manuals or visit the website www.dimplexfires.com



Dimplex

XHD Electric firebox 23 | 26 | 28









The Dimplex Firebox is an electric inset fireplace, which can be built into a wall or a bespoke surround. Several extra qualities make the XHD models stand out. Its frameless housing offers maximum view on the flames, the movement speed of the flames is adjustable and the special glow bed has several colour themes, customizable to fit your taste and style. The digital thermostat of the built-in heater ensures that the temperature is pleasantly easy to control. The Firebox XHD is available in different sizes.

- Modern firebox designed to be insert in custom-made frames and fireplace surrounds
- Frameless glass front gives an elegant look
- The flame base can be additionally adjusted to more red or blue
- Also manually controllable by an easy touch control
- The flames are adjustable in speed







- One-sided decorative fireplace
- Flames rising over a highly realistic glowing fire bed
- Optiflame technology, calming flames above the a colourful glow bed
- Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately
- Colour alternating flame effects
- Powerful fan-assisted heating by safe element that provides additional heating on demand
- Control all functions of the fireplace from the comfort of your chair
- Fireplace can also be operated via button display on the fireplace
- Very suitable for installation







XHD Electric firebox 23 | 26 | 28


230V/50Hz | 7 Watt

Experience Better Living

Unit Dimensions







Specifications

| TECHNICAL DETAILS | XHD23 Electric Firebox 20" | XHD26 Electric Firebox 25" | XHD28 Electric Firebox 26" | |
|--|-------------------------------|-------------------------------|----------------------------|--|
| Flame Effect system | Optiflame® | Optiflame® | Optiflame® | |
| Model number | 210951 | 210975 | 211002 | |
| GTIN/UPC | 5011139210951 | 5011139210975 | 5011139211002 | |
| Model | Built-in | Built-in | Built-in | |
| View Type | Front | Front | Front | |
| Colour - Furniture | Black | Black | Black | |
| Media Bed | LED-Logset | LED-Logset | LED-Logset | |
| Viewing window WxH (cm) | 52x42 | 60x38 | 62x48 | |
| Build in dim (WxHxD) (cm) | 58,4x51,9x18 | 66x47,9x18 | 69,5x59,6x18 | |
| Heating function | Yes | Yes | Yes | |
| Heating Element | Yes | Yes | Yes | |
| Remote Control | Yes | Yes | Yes | |
| Manual Operation on the fireplace possible | Yes | Yes | Yes | |
| Lighting Module | LED | LED | LED | |
| Sound | No | No | No | |
| Media Bed Flame Colours | Yes | Yes | Yes | |
| Heat Setting 1 in Watts | 1400 | 1400 | 1400 | |
| Heat Setting 2 in Watts | - | - | - | |
| Power consumption (flame effect) (Watt) | 7 | 7 | 7 | |
| Wattage | 1400 | 1400 | 1400 | |
| Voltage | 230V/50Hz | 230V/50Hz | 230V/50Hz | |
| Unpacked Weight (kg) | 11 | 11,5 | 14,5 | |
| Plug Length | 1,5 m | 1,5 m | 1,5 m | |
| Warranty | 2 years | 2 years | 2 years | |

Firebox 30 | Concrete







The Dimplex Firebox is the ultimate enhancement for your existing fireplace or furniture. This ready-to-install solution instantly transforms your space into a cozy retreat. Featuring a remarkably realistic logset with a captivating glow effect and mesmerizing flames that dance upwards from the center, it effortlessly captures the essence of a traditional fireplace. With a decorative back panel and a variety of ambient light options in customizable colors, you can create the perfect atmosphere to suit any moment, interior style, or mood. Complete with a built-in heater, the Firebox is the epitome of warmth and sophistication.

- Easy installation in the wall or in furniture
- Efficient and controlled heat output by using the thermostatic heater.
- Mirage Flame panel partially frosted acrylic panel which works better than a mirror, showing only lifelike flames and no reflections
- Adds additional atmosphere with custom atmospheric lighting and colour enhancement





- One-sided decorative fireplace
- Flames rising over a highly realistic glowing fire bed
- Optiflame technology, calming flames above the a colourful glow bed
- Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately
- Colour alternating flame effects
- Powerful fan-assisted heating by safe element that provides additional heating on demand
- Control all functions of the fireplace from the comfort of your chair
- Fireplace can also be operated via button display on the fireplace
- Very suitable for installation




Firebox 30 | Concrete


230V/50Hz | 15 Watt


Experience Better Living

Unit Dimensions



| DIMENSIONS | | | |
|----------------------|------------|-------------|------------|
| | Width (cm) | Height (cm) | Depth (cm) |
| Firebox 30" Brick | 79,2 | 67,6 | 30,7 |
| Firebox 30" Concrete | 79,2 | 67,6 | 30,7 |





Rough-In Framing Dimensions Firebox

Firebox Dimensions

Specifications

| TECHNICAL DETAILS | Firebox 30" | Firebox 30" Concrete |
|--|---------------------------------|---------------------------------|
| Flame Effect system | Optiflame® | Optiflame® |
| Model number | 210357 | 211842 |
| GTIN/UPC | 5011139210357 | 5011139211842 |
| Model | Built-in | Built-in |
| View Type | Front | Front |
| Colour - Furniture | Black | Black |
| Media Bed | LED-Logset, incl. colour option | LED-Logset, incl. colour option |
| Viewing window WxH (cm) | 75x58 | 75x58 |
| Build in dim (WxHxD) (cm) | 79,2x67,6x30,7 | 79,2x67,6x30,7 |
| Heating function | Yes | Yes |
| Heating Element | Yes | Yes |
| Remote Control | Yes | Yes |
| Manual Operation on the fireplace possible | Yes | Yes |
| Lighting Module | LED | LED |
| Sound | No | No |
| Media Bed Flame Colours | Yes | Yes |
| Heat Setting 1 in Watts | 2000 | 2000 |
| Heat Setting 2 in Watts | - | - |
| Power consumption (flame effect) (Watt) | 15 | 15 |
| Wattage | 2000 | 2000 |
| Voltage | 230V/50Hz | 230V/50Hz |
| Unpacked Weight (kg) | 25 | 25 |
| Plug Length | 1,5 m | 1,5 m |
| Warranty | 2 years | 2 years |







Öptimyst

CDimplex **

Engine 56-600 | 68-400

230V/50Hz | 200 Watt







Dimplex Engines are designed to create your quality fireplace inside a wall or surround, exactly where you want it, finished to fit your personal taste and easy to use. Not only offering the unrivalled Optimyst® flame effect but also the comfort of a thermostatic heater. Thanks to its smart 24/7 timer, it is ready to welcome you with a cosy atmosphere at any moment. The vertical shape of the Engines allows a good view on its uprising flames. The optional black mirror back panel adds to this.

- Insert fireplace with a modern and elegant appearance
- Easy-fill water tank, offers around 8-10 hours of continuous operation before refilling is required
- Enjoy the ambiance of the flames with or without the heater for all year round comfort
- 24/7 timer ensures a high flexibility, each day of the week can be set individually
- Optional: mirror back panel for an even more intense fire experience





- One-sided decorative fireplace
- Surprising by the floating flame and smoke effect and variable flame intensity
- Optimyst flame technology, flame patterns by cold water vapour
- Powerful fan-assisted heating by safe element that provides additional heating on demand
- Control all functions of the fireplace from the comfort of your chair
- Mirror wall or stone motif wall as a backpanel option to match your interior
- 7 Day Programmable Timer
- Very suitable for installation







Engine 56-600 | 68-400 230V/50Hz | 200 Watt

Experience Better Living

Unit Dimensions





| DIMENSIONS | | | | |
|---------------|------------|-------------|------------|--|
| | Width (cm) | Height (cm) | Depth (cm) | |
| Engine 56-600 | 64,6 | 70 | 25,5 | |
| Engine 68-400 | 49 | 82,3 | 25,5 | |

Specifications

| TECHNICAL DETAILS | Engine 56-600 | Engine 68-400 |
|--|---------------|---------------|
| Flame Effect system | Optimyst® | Optimyst® |
| Model number | 211835 | 210258 |
| GTIN/UPC | 5011139211835 | 5011139210258 |
| Model | Built-in | Built-in |
| View Type | Front | Front |
| Colour - Furniture | Black | Black |
| Media Bed | Logset | Logset |
| Viewing window WxH (cm) | 56x40 | 41x51 |
| Build in dim (WxHxD) (cm) | 64,6x70x25,5 | 49x82,3x25,5 |
| Heating function | Yes | Yes |
| Heating Element | Yes | Yes |
| Remote Control | Yes | Yes |
| Manual Operation on the fireplace possible | Yes | Yes |
| Lighting Module | Halogen | Halogen |
| Sound | No | No |
| Media Bed Flame Colours | No | No |
| Heat Setting 1 in Watts | 1000 | 1000 |
| Heat Setting 2 in Watts | 2000 | 2000 |
| Power consumption (flame effect) (Watt) | 200 | 200 |
| Wattage | 2000 | 2000 |
| Voltage | 230V/50Hz | 230V/50Hz |
| Unpacked Weight (kg) | 19,5 | 18 |
| Plug Length | 1,5 m | 1,5 m |
| Warranty | 2 years | 2 years |









XDimplex

Toluca Deluxe

230V/50Hz | 10 Watt









This even more complete version of the Toluca wall mounted fireplace adds to the fun with built in BT speakers. Fine to listen to the crackling sound of a fire, also great to listen to your favourite tunes. What remains unchanged: the Toluca is a quality Dimplex fire that fits nearly any interior style and into the smallest of spaces. Still, it offers the great Optiflame® fire experiene, multicolour LEDs for the interior and back light, heater and remote. Pure comfort!

- Glowbed with acrylic ice can be illuminated in 4 colours
- Indirect backlight in 4 colours
- Bluetooth speaker to stream your music or favourite radio station from your phone
- · Elegant glass front with black border
- · Crackling logs sound effects with adjustable volume

Experience Better Living







Optiflame technology, calming flames above the a colourful glow bed

Flames and lamps
use energy-efficient
LEDs that require no
maintenance and can
burn separately

Orange, red, green, blue or a continuous alternation of all four colours

Powerful fan-assisted heating by safe element that provides additional heating on demand

Control all functions of the fireplace from the comfort of your chair

Fireplace can also be operated via button display on the fireplace

Very suitable for installation







Toluca Deluxe

230V/50Hz | 10 Watt

Experience Better Living

Unit Dimensions





Specifications

| Flame Effect system | Optiflame® |
|--|---------------|
| Model number | 210418 |
| GTIN/UPC | 5011139210418 |
| Model | Wall-mounted |
| View Type | Front |
| Colour - Furniture | Black |
| Media Bed | Acrylic |
| Viewing window WxH (cm) | 51x28 |
| Build in dim (WxHxD) (cm) | 82x54x15,5 |
| Heating function | Yes |
| Heating Element | Yes |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | LED |
| Sound | Yes |
| Media Bed Flame Colours | Yes |
| Heat Setting 1 in Watts | 1000 |
| Heat Setting 2 in Watts | 2000 |
| Power consumption (flame effect) (Watt) | 10 |
| Wattage | 2000 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 14 |
| Plug Length | 1,5 m |
| Warranty | 2 years |













CDimplex

Ignite 50 | 60 | 74 | 100

230V/50Hz | 19 / 23 / 27 / 35 Watt





New standards to design and enjoying a fire are clearly set by the new Ignite XL series, which allow an unprecendented panoramic view of the flames. The colour of the LED illuminated interior can be adjusted to suit any occasion. Its silent heater starts up pleasantly quickly through concealed vents, working intelligently and effciently. Still, it requires little space and effort to install. A high quality series throughout.

- Edge-to-edge glass offers a flawless panoramic view of the flames from any angle
- Fuel bed decorated with reflecting acrylic stones that can be illumniated in different colours
- Fast heat up thanks to the heat-boost function and with digital thermostat for easy temperature control
- Patented ComfortSaver heating system Eco-mode for a lower power consumption
- Driftwood available as accessory









- One-sided decorative fireplace
- Flames rising over a highly realistic glowing fire bed
- Optiflame technology, calming flames above the a colourful glow bed
- Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately
- Ability to switch between six glow bed colours
- Powerful fan-assisted heating by safe element that provides additional heating on demand
- Control all functions of the fireplace from the comfort of your chair
- Fireplace can also be operated via button display on the fireplace
- Adjustable up to 8 hours








Ignite 50 | 60 | 74 | 100 230 V/50 Hz | 19 / 23 / 27 / 35 Watt

Experience Better Living

Unit Dimensions

| DIMENSIONS | | | | |
|-------------|------------|-------------|------------|--|
| | Width (cm) | Height (cm) | Depth (cm) | |
| Ignite 50" | 127,8 | 39,6 | 14,6 | |
| Ignite 60" | 156 | 39,6 | 14,6 | |
| Ignite 74" | 188,8 | 39,6 | 14,6 | |
| Ignite 100" | 254,8 | 39,6 | 14,6 | |



Specifications

| TECHNICAL DETAILS | Ignite 50" | Ignite 60" | Ignite 74" | Ignite 100" |
|--|-----------------|---------------|-----------------|-----------------|
| Flame Effect system | Optiflame® | Optiflame® | Optiflame® | Optiflame® |
| Model number | 210272 | 500001874 | 210289 | 210296 |
| GTIN/UPC | 5011139210272 | 5011139084514 | 5011139210289 | 5011139210296 |
| Model | Wall-insert | Wall-insert | Wall-insert | Wall-insert |
| View Type | Front | Front | Front | Front |
| Colour - Furniture | Black | Black | Black | Black |
| Media Bed | Acrylic ice | Acrylic ice | Acrylic ice | Acrylic ice |
| Viewing window WxH (cm) | 124x31 | 153x31 | 186x31 | 245x31 |
| Build in dim (WxHxD) (cm) | 127,8x39,6x14,6 | 156x39,6x14,6 | 188,8x39,6x14,6 | 254,8x39,6x14,6 |
| Heating function | Yes | Yes | Yes | Yes |
| Heating Element | Yes | Yes | Yes | Yes |
| Remote Control | Yes | Yes | Yes | Yes |
| Manual Operation on the fireplace possible | Yes | Yes | Yes | Yes |
| Lighting Module | LED | LED | LED | LED |
| Sound | No | No | No | No |
| Media Bed Flame Colours | Yes | Yes | Yes | Yes |
| Heat Setting 1 in Watts | 1800 | 1800 | 1800 | 1800 |
| Heat Setting 2 in Watts | - | - | - | - |
| Power consumption (flame effect) (Watt) | 19 | 23 | 27 | 35 |
| Wattage | 1800 | 1800 | 1800 | 1800 |
| Voltage | 230V/50Hz | 230V/50Hz | 230V/50Hz | 230V/50Hz |
| Unpacked Weight (kg) | 30 | 36 | 41 | 53,5 |
| Plug Length | 1,5 m | 1,5 m | 1,5 m | 1,5 m |
| Warranty | 2 years | 2 years | 2 years | 2 years |



XDimplex®

Prism 34 | 50 | 74

230V/50Hz | 15 / 19 / 24 Watt







Prism linear electric fireplaces make a sparkling addition to your wall. Literally, since its flames arise from a bed of diamond-like decoration which can be illuminated in many colours, to suit your mood. With its remote control and a powerful and efficient fan-forced heater, this fireplace adds comfort and ambiance to any space. Plugged in or hardwired, hung on the wall or built-in; the Dimplex Prism is beautifully versatile. This electric fireplace is available in three different sizes.

- The flame effect illuminates the diamond-like acrylic ice decoration in different colours
- Suitable for wall-mounted or recessed installation
- Integrated display function on the glass panel
- Digital thermostat for easy temperature control







- One-sided decorative fireplace
- Flames rising over a highly realistic glowing fire bed
- Optiflame technology, calming flames above the a colourful glow bed
- Flames and lamps
 use energy-efficient
 LEDs that require no
 maintenance and can
 burn separately
- Ability to switch between six glow bed colours
- Powerful fan-assisted heating by safe element that provides additional heating on demand
- Control all functions of the fireplace from the comfort of your chair
- Fireplace can also be operated via button display on the fireplace
- Anti-reflective glass that prevents reflections







Prism 34 | 50 | 74

230V/50Hz | 15 / 19 / 24 Watt

Experience Better Living

Unit Dimensions





Specifications

| TECHNICAL DETAILS | Prism 34" | Prism 50" | Prism 74' |
|---|----------------|---------------|-----------------|
| Flame Effect system | Optiflame® | Optiflame® | Optiflame® |
| Model number | 208378 | 209900 | 209917 |
| GTIN/UPC | 5011139208378 | 5011139209900 | 5011139209917 |
| Model | Wall-insert | Wall-insert | Wall-insert |
| View Type | Front | Front | Front |
| Colour - Furniture | Black | Black | Black |
| Media Bed | Acrylic ice | Acrylic ice | Acrylic ice |
| Viewing window WxH (cm) | 79x27 | 120x27 | 180x27 |
| Build in dim (WxHxD) (cm) | 82,3x45,7x17,2 | 123x45,7x17,2 | 184,4x46,7x17,2 |
| Heating function | Yes | Yes | Yes |
| Heating Element | Yes | Yes | Yes |
| Remote Control | Yes | Yes | Yes |
| Manual Operation on the fireplace possible | Yes | Yes | Yes |
| Lighting Module | LED | LED | LED |
| Sound | No | No | No |
| Media Bed Flame Colours | Yes | Yes | Yes |
| Heat Setting 1 in Watts | 1100 | 1100 | 1100 |
| Heat Setting 2 in Watts | - | - | - |
| Power consumption (flame effect) (Watt) | 15 | 19 | 24 |
| Wattage | 1100 | 1100 | 1100 |
| Voltage | 230V/50Hz | 230V/50Hz | 230V/50Hz |
| Unpacked Weight (kg) | 23,5 | 32,5 | 51 |
| Plug Length | 1,5 m | 1,5 m | 1,5 m |
| Warranty | 2 years | 2 years | 2 years |



XDimplex®

Sierra 48 | 60 | 72

230V/50Hz | 8,6 Watt







The Sierra linear fireplace is an elegant addition to any space. The versatility of the fireplace lies in its ability to incorporate multiple install options. Enjoy it as an in-wall, on-wall or as a freestanding unit. The interchangeable fuel bed and the multiple illumination settings transform any space into a traditional or a more contemporary style. Create that cosy feeling with the touch of a button.

- Included feet allow for tabletop installation
- Crackling Sound Effects: Enjoy a more complete sensory experience with the sound of natural wood fire.
- Connect your Electric Fireplace to your smart phone via Bluetooth with Tuya Smart App







- One-sided decorative fireplace
- Flames rising over a highly realistic glowing fire bed
- Optiflame technology, calming flames above the a colourful glow bed
- Flames and lamps
 use energy-efficient
 LEDs that require no
 maintenance and can
 burn separately
- Take any room in your home to the next level with a custom decoration by choosing between crystals, logs or pebbles.
- Powerful fan-assisted heating by safe element that provides additional heating on demand
- Tuya app available for the smartphone
- Fireplace can also be operated via button display on the fireplace
- Anti-reflective glass that prevents reflections
- Adjustable up to 8 hours






Sierra 48 | 60 | 72

230V/50Hz | 8,6 Watt

Experience Better Living

Unit Dimensions

| DIMENSIONS | | | | |
|------------|--------------|------------|-------------|------------|
| | | Width (cm) | Height (cm) | Depth (cm) |
| C: 40" | Freestanding | 121,9 | 49,5 | 13,2 |
| Sierra 48" | In wall | 105,7 (A) | 47,0 (C) | 16,5 (B) |
| 0: 00" | Freestanding | 152,4 | 49,5 | 13,2 |
| Sierra 60" | In wall | 133,1 (A) | 47,0 (C) | 16,5 (B) |
| Sierra 72" | Freestanding | 182,9 | 49,5 | 13,2 |
| | In wall | 163,6 (A) | 47,0 (C) | 16,5 (B) |



Specifications

| TECHNICAL DETAILS | Sierra 48" | Sierra 60" | Sierra 72" |
|--|---------------------------------|---------------------------------|---------------------------------|
| Flame Effect system | Optiflame® | Optiflame® | Optiflame® |
| Model number | 220930 | 220940 | 220950 |
| GTIN/UPC | 8716412220937 | 8716412220944 | 8716412220951 |
| Model | Wall-insert | Wall-insert | Wall-insert |
| View Type | Front | Front | Front |
| Colour - Furniture | Black | Black | Black |
| Media Bed | Logset, acrylic ice and pebbles | Logset, acrylic ice and pebbles | Logset, acrylic ice and pebbles |
| Viewing window WxH (cm) | 101,5x26,8 | 128,9x26,8 | 159,4x26,8 |
| Build in dim (WxHxD) (cm) | 121,9x49,5x13,2 | 152,4x49,5x13,2 | 182,9x49,5x13,2 |
| Heating function | Yes | Yes | Yes |
| Heating Element | Yes | Yes | Yes |
| Remote Control | Yes | Yes | Yes |
| Manual Operation on the fireplace possible | Yes | Yes | Yes |
| Lighting Module | LED | LED | LED |
| Sound | Yes | Yes | Yes |
| Media Bed Flame Colours | Yes | Yes | Yes |
| Heat Setting 1 in Watts | 1300 | 1300 | 1300 |
| Heat Setting 2 in Watts | 1600 | 1600 | 1600 |
| Power consumption (flame effect) (Watt) | 8,6 | 8,6 | 8,6 |
| Wattage | 1600 | 1600 | 1600 |
| Voltage | 230V/50Hz | 230V/50Hz | 230V/50Hz |
| Unpacked Weight (kg) | 18,5 | 29 | 35,5 |
| Plug Length | 1,5 m | 1,5 m | 1,5 m |
| Warranty | 2 years | 2 years | 2 years |



XDimplex

Experience Better Living

Silverton

230V/50Hz | 60 Watt







Do you cherish your existing fireplace or stove but make no use of it? The Silverton is a smart and compact electric fire, designed to revive your wood or gas fire. Thanks to its glowing logs, its flames and smoke coming from cold water vapour and LEDs, enjoying your fireplace can be a comfortable and lasting experience, again.

- Compact freestanding fireplace
- Also suitable as an insert for inoperative fireplaces
- Glowing LED logset with loose logs for individual decoration
- Includes a glowing fire bed for under the fire basket





All-round view



Surprising by the floating flame and smoke effect and variable flame intensity



Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat



Optimyst flame technology, flame patterns by cold water vapour



Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately



Control all functions of the fireplace from the comfort of your chair



Easy to connect to a standard socket for instant atmosphere




CDimplex®






230V/50Hz | 60 Watt

Unit Dimensions





Specifications

| Flame Effect system | Optimyst® |
|--|---------------|
| Model number | 204554 |
| GTIN/UPC | 5011139204554 |
| Model | Freestanding |
| View Type | Three-sided |
| Colour - Furniture | Black |
| Media Bed | Logset |
| Viewing window WxH (cm) | 22x20 |
| Build in dim (WxHxD) (cm) | 68,2x33x36,1 |
| Heating function | No |
| Heating Element | No |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | LED |
| Sound | No |
| Media Bed Flame Colours | No |
| Heat Setting 1 in Watts | - |
| Heat Setting 2 in Watts | - |
| Power consumption (flame effect) (Watt) | 60 |
| Wattage | 60 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 10 |
| Plug Length | 1,5 m |
| Warranty | 2 years |











Experience Better Living

Logset 20'







The Logset 20" by Dimplex is an electric fire system designed to instantly revive your non-active fireplace. Very easy to install, safe, maintenance free and requiring surprisingly little energy. A great way to bring back the fascination of flames moving upwards from the glowing logs, reinstalling your fireplace as a focal point, for great moments around the fire. Fitted with ambient light functions, a heater and even a remote, to let you enjoy your fireplace comfortably at each moment of the day and year.

- Adjustable brightness level to suit the desired ambience
- Mirage Flame panel partially frosted acrylic panel which works better than a mirror, showing only lifelike flames and no reflections
- The 360° light adds flickering light to enhance the firelight effect
- Enjoy the unique charm of the fireplace 365 days a year using the flames without the heat





All-round view



Fully adjustable fire image with highcontrast flames for a surprisingly deep and lifelike effect



Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat



Optiflame technology, calming flames above the a colourful glow bed



Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately



Control all functions of the fireplace from the comfort of your chair



Easy to connect to a standard socket for instant atmosphere




CDimplex®





Logset 20' 230V/50Hz | 9 Watt

Unit Dimensions



Specifications

| Flame Effect system | Optiflame® |
|--|----------------|
| Model number | 211156 |
| GTIN/UPC | 5011139211156 |
| Model | Freestanding |
| View Type | Three-sided |
| Colour - Furniture | Black |
| Media Bed | Logset |
| Viewing window WxH (cm) | 60x48 |
| Build in dim (WxHxD) (cm) | 60,3x48,2x31,7 |
| Heating function | Yes |
| Heating Element | Yes |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | LED |
| Sound | No |
| Media Bed Flame Colours | No |
| Heat Setting 1 in Watts | 650 |
| Heat Setting 2 in Watts | 1300 |
| Power consumption (flame effect) (Watt) | 9 |
| Wattage | 1300 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 5,5 |
| Plug Length | 1,5 m |
| Warranty | 2 years |











CDimplex

Lucia










A wonderfully compact stove which will bring a real fire feeling with the convencience of electric, great to enrich even the smallest living space. The look of a classic cast-iron stove, with contemporary styling and many features. The opening glass door adds to that authentic feeling, while staring into the warm red flames and logs of the Optiflame® fire. Adjust the flame and heat setting over the concealed controls or with the remote.

- Freestanding classic cast-iron look stove with modern touch in a matt black finish
- Opening door with glass and a silver handle
- Rotary thermostat for temperature control









- Optiflame technology, soothing flames with a lit glow bed
- Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately
- Powerful fan-assisted heating by safe element that provides additional heating on demand
- Control all functions of the fireplace from the comfort of your chair
- Easy to connect to a standard socket for instant atmosphere




CDimplex®





Lucia

Unit Dimensions





Specifications

| Flame Effect system | Optiflame® |
|--|----------------|
| Model number | 211255F |
| GTIN/UPC | 5011139211255 |
| Model | Freestanding |
| View Type | Front |
| Colour - Furniture | Black |
| Media Bed | Logset |
| Viewing window WxH (cm) | 38x25 |
| Build in dim (WxHxD) (cm) | 50,8x59,7x34,4 |
| Heating function | Yes |
| Heating Element | Yes |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | LED |
| Sound | No |
| Media Bed Flame Colours | No |
| Heat Setting 1 in Watts | 900 |
| Heat Setting 2 in Watts | 1800 |
| Power consumption (flame effect) (Watt) | 10 |
| Wattage | 1800 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 16 |
| Plug Length | 1,5 m |
| Warranty | 2 years |









Öptimyst

Stockbridge

230V/50Hz | 200 Watt









A timeless combination in itself: a traditionally shaped and robust freestanding fireplace which offers you all the benefits of a modern electric fire. Stare into the playful 3-dimensional flames of the Optimyst® fire and feel the cosy warmth from its built in electric heater.


- Authentic look of cast iron stove with a metal housing
- Decorative glass doors that can be opened
- Metal sheet mirror back panel for a more intensive flame picture
- Rotary thermostat for temperature control

Experience Better Living














Powerful fan-assisted heating by safe element that provides additional heating on demand










CDimplex®





Unit Dimensions



Specifications

| Flame Effect system | Optimyst® |
|--|---------------|
| Model number | 206398 |
| GTIN/UPC | 5011139206398 |
| Model | Freestanding |
| View Type | Front |
| Colour - Furniture | Black |
| Media Bed | Logset |
| Viewing window WxH (cm) | 53x28 |
| Build in dim (WxHxD) (cm) | 62x66x39 |
| Heating function | Yes |
| Heating Element | Yes |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | Halogen |
| Sound | No |
| Media Bed Flame Colours | No |
| Heat Setting 1 in Watts | 1000 |
| Heat Setting 2 in Watts | 2000 |
| Power consumption (flame effect) (Watt) | 200 |
| Wattage | 2000 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 27 |
| Plug Length | 1,5 m |
| Warranty | 2 years |









Experience Better Living

Grand Rouge

230V/50Hz | 200 Watt








Introducing the Dimplex Grand Rouge, the perfect alternative to gas or wood fireplaces. Designed to suit any room, this exceptional stove boasts our patented Optimyst technology, delivering a truly extraordinary fireplace experience. Prepare to be mesmerized as three-dimensional flames dance before your eyes, creating an incredibly lifelike ambiance. With the added benefit of heating functionality, you can enjoy the complete fireplace experience without the limitations of traditional fuels. The Dimplex Grand Rouge combines innovation and elegance and brings colour to your home.


- Authentic look of cast iron stove
- · Decorative glass doors that can be opened
- Metal sheet mirror back panel for a more intensive flame picture
- Rotary thermostat for temperature control











Powerful fan-assisted heating by safe element that provides additional heating on demand

Control all functions of the fireplace from the comfort of your chair

Fireplace can also be operated via button display on the fireplace

Easy to connect to a standard socket for instant atmosphere






▼Dimplex®





Grand Rouge 230V/50Hz | 200 Watt

Unit Dimensions



Specifications

| Flame Effect system | Optimyst® |
|--|---------------|
| Model number | 235230F |
| GTIN/UPC | 8716412235238 |
| Model | Freestanding |
| View Type | Front |
| Colour - Furniture | Red |
| Media Bed | Logset |
| Viewing window WxH (cm) | 53x28 |
| Build in dim (WxHxD) (cm) | 62x66x39 |
| Heating function | Yes |
| Heating Element | Yes |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | Halogen |
| Sound | No |
| Media Bed Flame Colours | No |
| Heat Setting 1 in Watts | 1000 |
| Heat Setting 2 in Watts | 2000 |
| Power consumption (flame effect) (Watt) | 200 |
| Wattage | 2000 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 21 |
| Plug Length | 1,8 m |
| Warranty | 2 years |







Dimplex

Sunningdale

230V/50Hz | 2000 Watt








The Sunningdale is a classic, timeless stove design that suits many different interiors. The real experience of fire, with crackling sounds, sparks that seem to jump is all down to the proven Opti-V® technology. A built-in heating bed completes the experience.

- · Authentic look of cast iron stove with a metal housing
- Crackling logs sound effects with adjustable volume
- · Glass door that can be opened
- · Digital thermostat for temperature adjustment

Experience Better Living









By using an LCD screen in combination with the pepper ghost effect, an energy-efficient fire image that requires no maintenance

Powerful fan-assisted heating by safe element that provides additional heating on demand

Control all functions of the fireplace from the comfort of your chair

Fireplace can also be operated via button display on the fireplace


Easy to connect to a standard socket for instant atmosphere








Unit Dimensions







Specifications

| Flame Effect system | Opti-V® |
|--|---------------|
| Model number | 207784 |
| GTIN/UPC | 5011139207784 |
| Model | Freestanding |
| View Type | Front |
| Colour - Furniture | Black |
| Media Bed | Logset |
| Viewing window WxH (cm) | 45x30 |
| Build in dim (WxHxD) (cm) | 63,2x65,7x44 |
| Heating function | Yes |
| Heating Element | Yes |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | LED |
| Sound | Yes |
| Media Bed Flame Colours | No |
| Heat Setting 1 in Watts | 1000 |
| Heat Setting 2 in Watts | 2000 |
| Power consumption (flame effect) (Watt) | 40 |
| Wattage | 2000 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 31,5 |
| Plug Length | 1,5 m |
| Warranty | 2 years |











▼Dimplex®

Bellini Black







This Bellini fits perfectly in modern and industrial interiors. The beautiful flame effect is thanks to the famous Optiflame® effect. The flames and built-in heating can be easily adjusted via the remote control.


- Modern and compact design ideal for smaller spaces
- Rotary thermostat for temperature control
- Lacquered surface gives a gloss finish


Experience Better Living














Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately







Easy to connect to a standard socket for instant atmosphere








Bellini Black

Unit Dimensions



Specifications

| Flame Effect system | Optiflame® |
|--|------------------------|
| Model number | 211132 |
| GTIN/UPC | 5011139211132 |
| Model | Freestanding |
| View Type | Front |
| Colour - Furniture | White with black frame |
| Media Bed | Logset |
| Viewing window WxH (cm) | 34x38 |
| Build in dim (WxHxD) (cm) | 65x86,8x19,5 |
| Heating function | Yes |
| Heating Element | Yes |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | LED |
| Sound | No |
| Media Bed Flame Colours | No |
| Heat Setting 1 in Watts | 700 |
| Heat Setting 2 in Watts | 1300 |
| Power consumption (flame effect) (Watt) | 10 |
| Wattage | 1500 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 21,5 |
| Plug Length | 1,5 m |
| Warranty | 2 years |





Öptimyst

CDimplex

Danville Black | Brass antique

230V/50Hz | 200 Watt









A modern fireplace insert, with a 3D flame effect and glowing wood blocks that continue to fascinate. Available in two different designs to create your personal style: powerful black or classic brass. The remote control and heating make this fireplace even more attractive.


- · Inset fire designed to fit standard fireplace
- Contemporary styling with powerful black/copper finish
- Logbed with effect for added authenticity
- · Rotary thermostat for temperature control


Experience Better Living













Powerful fan-assisted heating by safe element that provides additional heating on demand












Danville Black I Brass antique

Unit Dimensions





Specifications

| TECHNICAL DETAILS | Danville Black | Danville Brass |
|--|----------------|----------------|
| Flame Effect system | Optimyst® | Optimyst® |
| Model number | 202550 | 202536 |
| GTIN/UPC | 5011139202550 | 5011139202536 |
| Model | Freestanding | Freestanding |
| View Type | Front | Front |
| Colour - Furniture | Black | Copper |
| Media Bed | Logset | Logset |
| Viewing window WxH (cm) | 32x24 | 32x24 |
| Build in dim (WxHxD) (cm) | 52x62x23,1 | 52x62x23,1 |
| Heating function | Yes | Yes |
| Heating Element | Yes | Yes |
| Remote Control | Yes | Yes |
| Manual Operation on the fireplace possible | Yes | Yes |
| Lighting Module | Halogen | Halogen |
| Sound | No | No |
| Media Bed Flame Colours | No | No |
| Heat Setting 1 in Watts | 1000 | 1000 |
| Heat Setting 2 in Watts | 2000 | 2000 |
| Power consumption (flame effect) (Watt) | 200 | 200 |
| Wattage | 2000 | 2000 |
| Voltage | 230V/50Hz | 230V/50Hz |
| Unpacked Weight (kg) | 16,5 | 16,5 |
| Plug Length | 1,5 m | 1,5 m |
| Warranty | 2 years | 2 years |



Optiflame

▼Dimplex®

Gisella White









Would you like to set up a fireplace in your home and enjoy the cosiness, but have little space left? The Dimplex Gisella has been specially designed to offer the pleasure of heartwarming flames with warmth in compact homes. Also ideal as a second device in studies, bedrooms or in tiny houses


- Modern and simple, linear design
- With a glass attachment
- Rotary thermostat for temperature control
- Fan heater with two heating levels


Experience Better Living











Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately

Powerful fan-assisted heating by safe element that provides additional heating on demand

Control all functions of the fireplace from the comfort of your chair

Fireplace can also be operated via button display on the fireplace

Easy to connect to a standard socket for instant atmosphere













Gisella White

Unit Dimensions







Specifications

| Flame Effect system | Optiflame® |
|--|---------------|
| Model number | 208392F |
| GTIN/UPC | 5011139208392 |
| Model | Freestanding |
| View Type | Front |
| Colour - Furniture | White |
| Media Bed | Logset |
| Viewing window WxH (cm) | 34x38 cm |
| Build in dim (WxHxD) (cm) | 58,1x79,5x17 |
| Heating function | Yes |
| Heating Element | Yes |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | LED |
| Sound | No |
| Media Bed Flame Colours | No |
| Heat Setting 1 in Watts | 700 |
| Heat Setting 2 in Watts | 1300 |
| Power consumption (flame effect) (Watt) | 10 |
| Wattage | 1500 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 22,5 |
| Plug Length | 1,5 m |
| Warranty | 2 years |











Scandic

230V/50Hz | 10 Watt









A well balanced oval geometry characterizes the Scandic, with a design that was inspired on an original Swedish stove. A log compartment is inside to enhance its looks, as well as a storage shelf on top, to personalize it to your interior style. Thanks to its electric Optiflame® fire the Scandic is extremely simple to install and can be enjoyed all year round.


- Modern Scandinavian styled fireplace with log storage compartment
- · Oval shape with white tile look alike on the side
- Storage compartment on top for decoration
- Rotary thermostat for temperature control
- The unique charm of the fireplace can be enjoyed 365 days a year using the flames without the heat

Experience Better Living









Flames and lamps
use energy-efficient
LEDs that require no
maintenance and can
burn separately

Powerful fan-assisted heating by safe element that provides additional heating on demand

Control all functions of the fireplace from the comfort of your chair

Fireplace can also be operated via button display on the fireplace

Easy to connect to a standard socket for instant atmosphere



Experience Better Living


CDimplex®





230V/50Hz | 10 Wat

Unit Dimensions



Specifications

| Flame Effect system | Optiflame® |
|--|-----------------|
| Model number | 208200 |
| GTIN/UPC | 5011139208200 |
| Model | Freestanding |
| View Type | Front |
| Colour - Furniture | White |
| Media Bed | Logset |
| Viewing window WxH (cm) | 37x38 |
| Build in dim (WxHxD) (cm) | 67,4x103,5x31,6 |
| Heating function | Yes |
| Heating Element | Yes |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | LED |
| Sound | No |
| Media Bed Flame Colours | No |
| Heat Setting 1 in Watts | 1000 |
| Heat Setting 2 in Watts | 2000 |
| Power consumption (flame effect) (Watt) | 10 |
| Wattage | 2000 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 48,5 |
| Plug Length | 1,5 m |
| Warranty | 2 years |









Öptimyst

Verdi White I Black







With its slender, tall and light design, the Verdi has already earned the appreciation of many. Quickly to install, yet a lasting focal point in even the smallest living room. Designed for quality time around the realistic fire, while enjoying pleasant warmth.


- Modern Scandinavian design almost 150 cm high
- Oval body with high-gloss finish
- With storage compartment for logs
- Decorative silver frame around the firebox
- Optional: mirror back pannel wall that intensifies the flame picture

Experience Better Living









Optimyst flame technology, flame patterns by cold water vapour

Powerful fan-assisted heating by safe element that provides additional heating on demand

Control all functions of the fireplace from the comfort of your chair

Easy to connect to a standard socket for instant atmosphere









Verdi White I Black

Unit Dimensions





Specifications

| TECHNICAL DETAILS | Verdi White | Verdi Black |
|--|-----------------|-----------------|
| Flame Effect system | Optimyst® | Optimyst® |
| Model number | 206275F | 222190F |
| GTIN/UPC | 5011139206275 | 8716412222191 |
| Model | Freestanding | Freestanding |
| View Type | Front | Front |
| Colour - Furniture | White | Black |
| Media Bed | Logset | Logset |
| Viewing window WxH (cm) | 40x50 | 40x50 |
| Build in dim (WxHxD) (cm) | 77,5x143,2x44,7 | 77,5x143,2x44,7 |
| Heating function | Yes | Yes |
| Heating Element | Yes | Yes |
| Remote Control | Yes | Yes |
| Manual Operation on the fireplace possible | Yes | Yes |
| Lighting Module | Halogen | Halogen |
| Sound | No | No |
| Media Bed Flame Colours | No | No |
| Heat Setting 1 in Watts | 1000 | 1000 |
| Heat Setting 2 in Watts | 2000 | 2000 |
| Power consumption (flame effect) (Watt) | 200 | 200 |
| Wattage | 2000 | 2000 |
| Voltage | 230V/50Hz | 230V/50Hz |
| Unpacked Weight (kg) | 66 | 66 |
| Plug Length | 1,5 m | 1,5 m |
| Warranty | 2 years | 2 years |







Dimplex









Our FYR Line was inspired by the world-famous Scandinavian lighthouses: rugged fireplaces made from authentic materials, with pure, subtle details. Each one features beautiful flames thanks to the electric Optimyst® fire: visually appealing, safe and clean, as they are formed from natural cold water vapour and lighting. The Fyr 127 is a real innovation in the field of electric atmospheric fire. This fireplace is suitable for a range of applications, from small apartments to large public spaces and catering. The fire effect creates lively and real flames that rise from the center of the fireplace. The luxurious top plates are available with different wood finishes. In addition, you can adjust the flame height. Welcome to the future.

- Premium quality design, finish and appearance
- Easy-fill water tank, offering approx. 8-10 hours of operation
- 24/7 timer ensures a high flexibility, each day of the week can be set individually
- Enjoy the ambiance of the flames with or without the heater for all year round comfort

Experience Better Living









Powerful fan-assisted heating by safe element that provides additional heating on demand

Control all functions of the fireplace from the comfort of your chair

Mirror wall or stone motif wall as a backpanel option to match your interior

7 Day Programmable Timer

Easy to connect to a standard socket for instant atmosphere






Fyr 127 230V/50Hz | 200 Watt

Experience Better Living

Unit Dimensions







Specifications

| Flame Effect system | Optimyst® |
|--|---------------|
| Model number | SET010 |
| GTIN/UPC | 8716412221644 |
| Model | Freestanding |
| View Type | Front |
| Colour - Furniture | Black |
| Media Bed | Logset |
| Viewing window WxH (cm) | 41,0x62,5 |
| Build in dim (WxHxD) (cm) | 60x130,6 |
| Heating function | Yes |
| Heating Element | Yes |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | Halogen |
| Sound | No |
| Media Bed Flame Colours | No |
| Heat Setting 1 in Watts | 1000 |
| Heat Setting 2 in Watts | 2000 |
| Power consumption (flame effect) (Watt) | 200 |
| Wattage | 2000 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 74 |
| Plug Length | 0,4 m |
| Warranty | 2 years |









XDimplex

Experience Better Living

Natur 120







Fire is a part of nature and has always been one of our necessities.

Thanks to the compact designs of the NATUR Line, you can incorporate the cosiness and inspiration of flickering flames anywhere in your home. The flames of the electric Optimyst® fire are sustainable, clean and safe and being formed from cold water vapour and lighting. A lovely background by which to relax and recharge your batteries. This fireplace is suitable for a range of applications, from small apartments to large public spaces and catering. The patented Optimyst® fire effect creates vibrant and realistic looking flames, rising from the center of the fireplace. The luxurious top plates are available with different wood finishes. You can also extensively adjust the flame height. Welcome to the future.

- Premium quality design, finish and appearance
- Easy-fill water tank, offering approx. 8-10 hours of operation
- 24/7 timer ensures a high flexibility, each day of the week can be set individually
- Enjoy the ambiance of the flames with or without the heater for all year round comfort



- One-sided decorative fireplace
- Surprising by the floating flame and smoke effect and variable flame intensity
- Optimyst flame technology, flame patterns by cold water vapour
- Powerful fan-assisted heating by safe element that provides additional heating on demand
- Control all functions of the fireplace from the comfort of your chair
- Mirror wall or stone motif wall as a backpanel option to match your interior
- 7 Day Programmable Timer
- Easy to connect to a standard socket for instant atmosphere







Natur 120

Unit Dimensions







Specifications

| Flame Effect system | Optimyst® |
|--|---------------|
| Model number | SET007 |
| GTIN/UPC | 8716412221613 |
| Model | Freestanding |
| View Type | Front |
| Colour - Furniture | Black |
| Media Bed | Logset |
| Viewing window WxH (cm) | 62x48 |
| Build in dim (WxHxD) (cm) | 60x130,6 |
| Heating function | Yes |
| Heating Element | Yes |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | Halogen |
| Sound | No |
| Media Bed Flame Colours | No |
| Heat Setting 1 in Watts | 1000 |
| Heat Setting 2 in Watts | 2000 |
| Power consumption (flame effect) (Watt) | 200 |
| Wattage | 2000 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 71,5 |
| Plug Length | 0,4 m |
| Warranty | 2 years |









Torn 64 | 100







The refined simplicity of the TORN Line brings an extra level to the most diverse interiors, and that in almost every place. As a beacon of tranquility and inspiration. Thanks to the electric Optimyst® fire, TORN fireplaces are also clean, safe and sustainable, with atmospheric flames that consist only of cold water vapour and light. Experience the power of essence. The refined simplicity of the TORN Line brings an extra level of ambiance to the most diverse interiors, exactly where you want it. All of this is due to the fascinating yet safe Optimyst® flames and the compact, Freestanding design, which does not require a chimney. The high model is equipped with pleasant and silent electric heating. Experience the power of essence.

- Compact size for ambiance almost everywhere in your home
- Easy-fill water tank, for several hours of operation
- Logset included
- Built-in thermosatic heater can be operated separately (Torn 100)

Experience Better Living





- Surprising by the floating flame and smoke effect and variable flame intensity
- Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat
- Optimyst flame technology, flame patterns by cold water vapour
- Control all functions of the fireplace from the comfort of your chair
- Easy to connect to a standard socket for instant atmosphere






Torn 64 | 100 230V/50Hz | 64 / 200 Watt

Experience Better Living

Unit Dimensions





Specifications

| TECHNICAL DETAILS | Torn 64 | Torn 100 |
|--|---------------|---------------|
| Flame Effect system | Optimyst® | Optimyst® |
| Model number | SET009 | SET008 |
| GTIN/UPC | 8716412221637 | 8716412221620 |
| Model | Freestanding | Freestanding |
| View Type | Front | Front |
| Colour - Furniture | Black | Black |
| Media Bed | Logset | Logset |
| Viewing window WxH (cm) | 22x20 | 41x38 |
| Build in dim (WxHxD) (cm) | 53,3x65,8x35 | 68,8x103,6x35 |
| Heating function | No | Yes |
| Heating Element | No | Yes |
| Remote Control | Yes | Yes |
| Manual Operation on the fireplace possible | Yes | Yes |
| Lighting Module | LED | LED |
| Sound | No | No |
| Media Bed Flame Colours | No | No |
| Heat Setting 1 in Watts | - | 1000 |
| Heat Setting 2 in Watts | - | 2000 |
| Power consumption (flame effect) (Watt) | 64 | 200 |
| Wattage | 64 | 2000 |
| Voltage | 230V/50Hz | 230V/50Hz |
| Unpacked Weight (kg) | 30,5 | 69 |
| Plug Length | 1,5 m | 1,5 m |
| Warranty | 2 years | 2 years |









Öptimyst

CDimplex

Cubic

230V/50Hz | 200 Watt





The distinct yet sleek metal design of the freestanding Cubic will bring you the joy of fire for many years. Is ever changing, free floating flames and smoke are due to Dimplex's own Optimyst® system. Also finish off its looks with true logs in the compartment (not included).

- Nordic styled fireplace with log compartment
- With silver applications in the front
- A centerpiece with a height of 127 cm
- Rotary thermostat for temperature control

Experience Better Living





One-sided decorative fireplace



Surprising by the floating flame and smoke effect and variable flame intensity



Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat



Optimyst flame technology, flame patterns by cold water vapour



Powerful fan-assisted heating by safe element that provides additional heating on demand



Control all functions of the fireplace from the comfort of your chair



Easy to connect to a standard socket for instant atmosphere









Cubic

Unit Dimensions





Specifications

| Flame Effect system | Optimyst® |
|--|--------------------|
| Model number | 207425 |
| GTIN/UPC | 5011139207425 |
| Model | Freestanding |
| View Type | Front |
| Colour - Furniture | Black / Anthracite |
| Media Bed | Logset |
| Viewing window WxH (cm) | 38x40 |
| Build in dim (WxHxD) (cm) | 67x127x42 |
| Heating function | Yes |
| Heating Element | Yes |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | Halogen |
| Sound | No |
| Media Bed Flame Colours | No |
| Heat Setting 1 in Watts | 1000 |
| Heat Setting 2 in Watts | 2000 |
| Power consumption (flame effect) (Watt) | 200 |
| Wattage | 2000 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 45,5 |
| Plug Length | 1,5 m |
| Warranty | 2 years |









Öptiflame

Dimplex

Experience Better Living

Haydn





The Haydn has a classic country style, with a touch of modern. Experience the pure feeling of an original fireplace, thanks to the brick back panel and the realistic flames burning in the middle, above softly glowing logs. Adjust the ambient lighting and the thermostat to your preference. Sit back and relax!

- Great sized fireplace in a classic country home style
- Mantelpiece made of natural oak wood veneer
- Brick back panel for an authentic look
- Adds additional atmosphere with custom atmospheric lighting and colour enhancement



- One-sided decorative fireplace
- Flames rising over a highly realistic glowing fire bed
- Optiflame technology, calming flames above the a colourful glow bed
- Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately
- Colour alternating flame effects
- Powerful fan-assisted heating by safe element that provides additional heating on demand
- Control all functions of the fireplace from the comfort of your chair
- Fireplace can also be operated via button display on the fireplace
- Easy to connect to a standard socket for instant atmosphere








Unit Dimensions







Specifications

| Flame Effect system | Optiflame® |
|--|--|
| Model number | 210494 |
| GTIN/UPC | 5011139210494 |
| Model | Freestanding |
| View Type | Front |
| Colour - Furniture | White, incl. wood finish on top. Black finish on the bottom |
| Media Bed | LED-Logset, incl. colour option |
| Viewing window WxH (cm) | 75x58 |
| Build in dim (WxHxD) (cm) | 141x121x41 |
| Heating function | Yes |
| Heating Element | Yes |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | LED |
| Sound | No |
| Media Bed Flame Colours | Yes |
| Heat Setting 1 in Watts | 2000 |
| Heat Setting 2 in Watts | - |
| Power consumption (flame effect) (Watt) | 15 |
| Wattage | 2000 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 86 |
| Plug Length | 1,5 m |
| Warranty | 2 years |









XDimplex

Moorefield

230V/50Hz | 200 Watt







With its clean, elegant lines, the Moorefield suite blends with any modern living room. Its offwhite finish with a stone effect gives a classic feel to this fireplace. A true focal point is the incredible 3D Optimyst® fire, with a flame and smoke effect that never is the same. The fire can operate via a remote control and can even be used independently of the concealed heater, to relax by at any moment of the day or year.

- Full fireplace suite in a classic and timeless design
- · Beautiful stone effect finish
- Optional: mirror back panel for an even more intense fire experience
- Rotary thermostat for temperature control



- One-sided decorative fireplace
- Surprising by the floating flame and smoke effect and variable flame intensity
- Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat
- Optimyst flame technology, flame patterns by cold water vapour
- Powerful fan-assisted heating by safe element that provides additional heating on demand
- Control all functions of the fireplace from the comfort of your chair
- Easy to connect to a standard socket for instant atmosphere







Moorefield

230V/50Hz | 200 Watt

Experience Better Living

Unit Dimensions





Specifications

| Flame Effect system | Optimyst® |
|--|---------------|
| Model number | 203632 |
| GTIN/UPC | 5011139203632 |
| Model | Freestanding |
| View Type | Front |
| Colour - Furniture | Cream |
| Media Bed | Logset |
| Viewing window WxH (cm) | 38x40 |
| Build in dim (WxHxD) (cm) | 92x86,4x31,5 |
| Heating function | Yes |
| Heating Element | Yes |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | Halogen |
| Sound | No |
| Media Bed Flame Colours | No |
| Heat Setting 1 in Watts | 1000 |
| Heat Setting 2 in Watts | 2000 |
| Power consumption (flame effect) (Watt) | 200 |
| Wattage | 2000 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 39,5 |
| Plug Length | 1,5 m |
| Warranty | 2 years |







XDimplex

Sherwood

230V/50Hz | 15 Watt





The Sherwood is a magnificent modern fireplace that elevates your home. With its elegant wooden accents seamlessly complementing the marble panel, this fireplace is a sight to behold. Beyond its stunning appearance, it offers functional features like adjustable heat settings through the thermostatic function, and the ability to change colors to suit your mood, all effortlessly controlled by a user-friendly remote. Experience warmth and ambiance at your fingertips.

- · Great sized modern fireplace in high-gloss white
- Design accent with grey wood veneer finish
- · Back panel of the firebox in concrete look
- Adds additional atmosphere with custom atmospheric lighting and colour enhancement

Experience Better Living




- One-sided decorative fireplace
- Flames rising over a highly realistic glowing fire bed
- Optiflame technology, calming flames above the a colourful glow bed
- Flames and lamps
 use energy-efficient
 LEDs that require no
 maintenance and can
 burn separately
- Colour alternating flame effects
- Powerful fan-assisted heating by safe element that provides additional heating on demand
- Control all functions of the fireplace from the comfort of your chair
- Fireplace can also be operated via button display on the fireplace
- Easy to connect to a standard socket for instant atmosphere






Sherwood **Experience Better Living**

Unit Dimensions





Specifications

| Flame Effect system | Optiflame® |
|--|---------------------------------|
| Model number | 210937 |
| GTIN/UPC | 5011139210937 |
| Model | Freestanding |
| View Type | Front |
| Colour - Furniture | White |
| Media Bed | LED-Logset, incl. colour option |
| Viewing window WxH (cm) | 75x58 |
| Build in dim (WxHxD) (cm) | 138x124,5x41,5 |
| Heating function | Yes |
| Heating Element | Yes |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | LED |
| Sound | No |
| Media Bed Flame Colours | Yes |
| Heat Setting 1 in Watts | 2000 |
| Heat Setting 2 in Watts | - |
| Power consumption (flame effect) (Watt) | 15 |
| Wattage | 2000 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 81 |
| Plug Length | 1,5 m |
| Warranty | 2 years |







XDimplex

Experience Better Living

Nova 230V/50Hz | 7 Wat







A modern electric fireplace offering a white frame in a timeless style. With its clean lines, it fits perfectly into both modern and traditional interiors. The Nova can transform and heat any room - be it a living room, study or bedroom. The rich flames are visible and bright and as well as the heat generated can all be adjusted by the remote control

- Modern design with a white finish
- · Suitable for any interior design
- Digital thermostat for easy temperature control
- The flame effect can also be used without the heat function to enjoy the charming fireplace - 365 days a year



- One-sided decorative fireplace
- Flames rising over a highly realistic glowing fire bed
- Optiflame technology, calming flames above the a colourful glow bed
- Flames and lamps
 use energy-efficient
 LEDs that require no
 maintenance and can
 burn separately
- Colour alternating flame effects
- Powerful fan-assisted heating by safe element that provides additional heating on demand
- Control all functions of the fireplace from the comfort of your chair
- Fireplace can also be operated via button display on the fireplace
- Easy to connect to a standard socket for instant atmosphere








Nova

Unit Dimensions





Specifications

| Flame Effect system | Optiflame® |
|--|---------------|
| Model number | 235050F |
| GTIN/UPC | 8716412235054 |
| Model | Freestanding |
| View Type | Front |
| Colour - Furniture | White |
| Media Bed | LED-Logset |
| Viewing window WxH (cm) | 52x42 |
| Build in dim (WxHxD) (cm) | 106x95x24,5 |
| Heating function | Yes |
| Heating Element | Yes |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | LED |
| Sound | No |
| Media Bed Flame Colours | Yes |
| Heat Setting 1 in Watts | 1400 |
| Heat Setting 2 in Watts | - |
| Power consumption (flame effect) (Watt) | 7 |
| Wattage | 1400 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 38,6 |
| Plug Length | 1,5 m |
| Warranty | 2 years |





Öptiflame

Dimplex

Balance









The best of the past and the present combined in one product. With its classic yet modern design, the Balance is truly the centrepiece of your home. The neoclassical design and white colour further enhance the flame effect with unique Optiflame® technology; the flames can rise from the centre of the fireplace interior, but you can also adjust the fire in many ways to suit your personal taste and style. The rich flames are visible and bright and as well as the heat generated can all be adjusted by the remote control

- Classic design with authentic ornaments
- Suitable for classic interior design
- Digital thermostat for easy temperature control
- The flame effect can also be used without the heat function to enjoy the charming fireplace - 365 days a year

Experience Better Living










Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately



Powerful fan-assisted heating by safe element that provides additional heating on demand

Control all functions of the fireplace from the comfort of your chair

Fireplace can also be operated via button display on the fireplace

Easy to connect to a standard socket for instant atmosphere








Balance

Unit Dimensions



Specifications

| Flame Effect system | Optiflame® |
|--|---------------|
| Model number | 235060F |
| GTIN/UPC | 8716412235061 |
| Model | Freestanding |
| View Type | Front |
| Colour - Furniture | White |
| Media Bed | LED-Logset |
| Viewing window WxH (cm) | 52x42 |
| Build in dim (WxHxD) (cm) | 104x96x36 |
| Heating function | Yes |
| Heating Element | Yes |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | LED |
| Sound | No |
| Media Bed Flame Colours | Yes |
| Heat Setting 1 in Watts | 1400 |
| Heat Setting 2 in Watts | - |
| Power consumption (flame effect) (Watt) | 7 |
| Wattage | 1400 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 39,9 |
| Plug Length | 1,5 m |
| Warranty | 2 years |









XDimplex

Unity

230V/50Hz | 7 Watt












The Unity is a freestanding fireplace, designed to be timeless with its white surround. Its sleek and elegant profile seamlessly complements both modern and traditional interiors, making it a versatile addition to any space. With the Optiflame® flame technology, you can enjoy the warm ambiance of a realistic fire, while the built-in heater ensures cosy comfort. Conveniently operated by remote control, Unity gives a wonderful touch to the atmosphere in your living room, study, or bedroom. You can simply plug it into a socket and set your mood through the captivating array of flame colour options. An easy way to add style and warmth to your favourite space.


- Timeless white surround: a versatile addition to any space
- Frameless glass front for an elegant look and feel
- Convenient remote control for easy flame and heater adjustment.
- · Captivating array of flame colours sets the perfect mood
- Built-in heater ensures cosy comfort and warmth























Easy to connect to a standard socket for instant atmosphere




Experience Better Living


CDimplex®






Unit Dimensions









Specifications

| Flame Effect system | Optiflame® |
|--|---------------|
| Model number | 235560F |
| GTIN/UPC | 8716412235566 |
| Model | Freestanding |
| View Type | Front |
| Colour - Furniture | White |
| Media Bed | LED-Logset |
| Viewing window WxH (cm) | 52x42 |
| Build in dim (WxHxD) (cm) | 92x93,3x31 |
| Heating function | Yes |
| Heating Element | Yes |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | LED |
| Sound | No |
| Media Bed Flame Colours | Yes |
| Heat Setting 1 in Watts | 1400 |
| Heat Setting 2 in Watts | - |
| Power consumption (flame effect) (Watt) | 7 |
| Wattage | 1400 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 44,5 |
| Plug Length | 1,5 m |
| Warranty | 2 years |











Vigor

230V/50Hz | 7 Watt



Vigor is designed to complement modern and industrial interiors. With its striking flame effect, powered by Optiflame® technology, Vigor is sure to add just that little bit extra to any room. The flames and the built-in heater can be easily adjusted using the convenient remote control, allowing you to create the perfect atmosphere with ease. Vigor's sleek freestanding design blends effortlessly with existing furniture. And with its LED lighting module and the option to customise the flame colours, Vigor creates a visually stunning focal point that combines style and functionality for a truly remarkable fireplace experience.

- Sleek freestanding design complements modern and industrial interiors
- Frameless glass front for an elegant look and feel
- Convenient remote control for easy flame and heater adjustment.
- Captivating array of flame colours sets the perfect mood
- Adjustable flame speed for a personalised ambience

Experience Better Living




- One-sided decorative fireplace
- Flames rising over a highly realistic glowing fire bed
- Optiflame technology, calming flames above the a colourful glow bed
- Flames and lamps
 use energy-efficient
 LEDs that require no
 maintenance and can
 burn separately
- Colour alternating flame effects
- Powerful fan-assisted heating by safe element that provides additional heating on demand
- Control all functions of the fireplace from the comfort of your chair
- Fireplace can also be operated via button display on the fireplace
- Easy to connect to a standard socket for instant atmosphere







Unit Dimensions





Specifications

| Flame Effect system | Optiflame® |
|--|---------------|
| Model number | 235550F |
| GTIN/UPC | 8716412235559 |
| Model | Freestanding |
| View Type | Front |
| Colour - Furniture | White |
| Media Bed | Logset |
| Viewing window WxH (cm) | 60x38 |
| Build in dim (WxHxD) (cm) | 102x88,1x29 |
| Heating function | Yes |
| Heating Element | Yes |
| Remote Control | Yes |
| Manual Operation on the fireplace possible | Yes |
| Lighting Module | LED |
| Sound | No |
| Media Bed Flame Colours | Yes |
| Heat Setting 1 in Watts | 1400 |
| Heat Setting 2 in Watts | - |
| Power consumption (flame effect) (Watt) | 7 |
| Wattage | 1400 |
| Voltage | 230V/50Hz |
| Unpacked Weight (kg) | 36,5 |
| Plug Length | 1,5 m |
| Warranty | 2 years |







Accessories

Experience Better Living

Logset 250

For Cassette 250



Article number EAN-code Product size 219910 8716412219917 28 × 28 × 17,5 cm

Logset 500

For Cassette 500



Article number EAN-code Product size 219920 8716412219924 51 × 35,5 × 19,5 cm

Logset 500 L

For Cassette 500



Article number EAN-code Product size 206367 5011139206367 72 × 23 × 35,4 cm

Logset 1000

For Cassette 1000



Article number EAN-code Product size 219930 8716412219931 101,5 × 35,5 × 25 cm

400L logbed

For Cassette 400/600



Article number EAN-code Product size 211583 5011139211583 40,4 × 9,5 × 21,7 cm

600L logbed

For Cassette 400/600



Article number EAN-code Product size 211590 5011139211590 56,4 × 10,4 × 21,7 cm



Accessories

Experience Better Living

Driftwood Riverrock

For Ignite XL 50" I 60" I 74" I 100"





Pump accessory Kit

Cassette 500/1000 projects



Driftwood Riverrock accessoire 50'

Article number LF50DWS-KIT EAN-code 0781052102842

Driftwood Riverrock accessoire 74'

Article number LF74DWS-KIT EAN-code 0781052102859

Article number EAN-code

RBFGLASS30 0781052108004 Article number EAN-code

211477 5011139211477

Black glass

For Vivente Plus 75 I 100 I 150

Black glass Vivente Plus 75

Black glass Vivente Plus 100

Black glass Vivente Plus 150

Article number

Article number

Article number

EAN-code

EAN-code

EAN-code



235510

235520

235530

8716412235511

8716412235528

8716412235535

Back panel Engine

Engine 68-400 / Engine 56-600



Mirror back panel Engine 68-400

Article number 205421 EAN-code 5011139205421

Mirror back panel Engine 56-600

Article number 204509 EAN-code 204509

Brick back panel Engine 56-600

Article number 204493 EAN-code 5011139204493

Transducer

For Optimyst®





Transducer standard

Article number 06023133 EAN-code 87016412225376

Transducer Cassette 500/1000

Article number 06023368 EAN-code 87016412225383

Halogen lamp 4-pack



Article number EAN-code

06023090 87016412225390

Scent pads

Holder with scent pads Cassette 250 and 400/600

Article number I EAN code Set011 I 8716412225239

Holder with scent pads
Cassette 500 and 1000

Article number I EAN code Set012 I 8716412225222

Fragrance pad refill (5 scent pads)

Article number I EAN code 225220 I 8716412225413



Experience Better Living

Glen Dimplex Benelux BV Saturnus 8 8448 CC Heerenveen

PO Box 219 NL-8440 AE Heerenveen

T. +31(0)513 656500 F. +31(0)513 656501 E. info@dimplexfires.com

@dimplexfires